

Kentucky Medicaid Pharmacy Program Single Preferred Drug List (PDL)

Effective: January 1, 2021

GENERAL DEFINITION OF TERMS

Clinical Criteria (CC) – Due to the nature of some medications, prior authorization may be required for the medication to be covered at any copay tier. *Medications that require prior authorization will require that certain clinical criteria be met. Medications may require the use of preferred medications (subject to PDL), in addition to satisfying appropriate clinical criteria, before approval (prior authorization, PA) can be considered.* If a medication requires PA, the ordering physician should contact Magellan Medicaid Administration, the plan’s pharmacy benefit administrator. Also, prescriptions exceeding such plan limitations as **Quantity Limits (QL), Step Therapy (ST), Maximum Duration (MD), Age Edit (AE), in addition to those subject to Clinical Criteria (CC),** will also require PA.

Step Therapy (ST) – Step therapy is an electronic PA process that takes place at the time the pharmacy submits the claim. For example, in the case of medications considered “second-line” agents, the system will look at the member’s paid claims history, and if a claim(s) for the required “first-line” medication(s) is located, the system will approve the claim. If “first-line” medication(s) are not located, the system will not approve the claim, and will return a message to the pharmacy advising that the Step Therapy protocol has not been satisfied and prior authorization is required. At that time, the pharmacy may contact the physician and request that they contact Magellan Medicaid Administration for PA.

Quantity Limits (QL) – Quantity limits have been placed on medications to be consistent with the maximum dosage that the Food and Drug Administration (FDA) has approved to be both safe and effective. Medications where the quantity exceeds the FDA’s maximum daily dose will require PA. Prescriptions exceeding plan limitations will require PA.

Medication with Maximum Duration (MD) – Medications indicated will be available for a defined period of days per rolling year (365 days) before requiring a new or additional PA.

Age Edit (AE) – Medications indicated are available for members above or below XX age without PA.

Maintenance Drugs – Maintenance drugs are medications that generally require regular, long-term use and are prescribed for the treatment of a chronic medical condition. The following classes are examples of common maintenance drugs. *Maintenance drugs, as determined by First Databank (FDB) or Medi-Span, can be processed for up to a 92 days’ supply for KY Medicaid recipients.*

- ACE Inhibitors
- Lipotropics
- Beta Blockers
- Antidepressants
- COPD Agents
- Antipsychotics
- Diabetes Drugs
- Anticonvulsants

I. CARDIOVASCULAR

Drug Class	Preferred Agents	Non-Preferred Agents
ACE Inhibitors	benazepril enalapril lisinopril quinapril ramipril	Altace® captopril Epaned™ fosinopril moexipril perindopril Prinivil® Qbrelis™ trandolapril Vasotec® Zestril®
ACEI + Diuretic Combinations	benazepril/HCTZ lisinopril/HCTZ	captopril/HCTZ enalapril/HCTZ fosinopril/HCTZ moexipril/HCTZ Prinzide® quinapril/HCTZ Zestoretic®
Angiotensin Receptor Blockers	Entresto™ irbesartan losartan olmesartan valsartan	Atacand® Avapro® Benicar® candesartan Cozaar® Diovan® Edarbi™ eprosartan Micardis® telmisartan
ARB + Diuretic Combinations	irbesartan/HCTZ losartan/HCTZ olmesartan/HCTZ valsartan/HCTZ	Atacand HCT® Avalide® Benicar HCT® candesartan/HCTZ Diovan HCT® Edarbyclor™ Hyzaar® Micardis HCT® telmisartan/HCTZ
Angiotensin Modulator + CCB Combinations	amlodipine/benazepril valsartan/amlodipine valsartan/amlodipine/HCTZ	Azor™ Exforge® Exforge HCT® Lotrel® olmesartan/amlodipine olmesartan/amlodipine/HCTZ Tarka® Tribenzor® telmisartan/amlodipine verapamil/trandolapril

AE = Age Edits CC = Clinical Criteria MD = Medications with Maximum Duration QL = Quantity Limits ST = Step Therapy

I. CARDIOVASCULAR

Drug Class	Preferred Agents	Non-Preferred Agents
Anti-Anginal & Anti-Ischemic Agent	ranolazine ER	<i>Corlanor</i> ^{CC} <i>Ranexa</i> [®]
Oral Anti-Arrhythmics	amiodarone 100, 200 mg disopyramide dofetilide flecainide mexiletine propafenone quinidine sulfate quinidine sulfate ER Sorine [®] sotalol sotalol AF	<i>amiodarone 400 mg</i> <i>Betapace</i> [®] <i>Betapace AF</i> [®] <i>Multaq</i> [®] <i>Norpace</i> [®] <i>Norpace</i> [®] CR <i>Pacerone</i> [®] <i>propafenone SR</i> <i>quinidine gluconate ER</i> <i>Sotylize</i> ^{® CC} <i>Rythmol SR</i> [®] <i>Tikosyn</i> [®]
Direct Renin Inhibitors	N/A	<i>aliskiren</i> <i>Tekturna</i> [®] <i>Tekturna HCT</i> [®]
Beta Blockers	atenolol bisoprolol metoprolol tartrate metoprolol succinate ER nadolol propranolol propranolol ER	<i>acebutolol</i> <i>betaxolol</i> <i>Bystolic</i> TM <i>Corgard</i> [®] <i>Hemangeol</i> TM <i>Inderal</i> [®] LA <i>Inderal</i> [®] XL <i>Innopran XL</i> [®] <i>Kapspargo</i> TM <i>Levatal</i> [®] <i>Lopressor</i> [®] <i>pindolol</i> <i>Tenormin</i> [®] <i>timolol</i> <i>Toprol XL</i> [®]
Beta Blockers + Diuretic Combinations	atenolol/chlorthalidone bisoprolol/HCTZ	<i>Corzide</i> [®] <i>Lopressor</i> [®] HCT <i>metoprolol tartrate/HCTZ</i> <i>nadolol/bendroflumethiazide</i> <i>propranolol/HCTZ</i> <i>Tenoretic</i> [®] <i>Ziac</i> [®]
Alpha/Beta Blockers	carvedilol labetalol	<i>carvedilol ER</i> <i>Coreg</i> [®] <i>Coreg CR</i> [®]

I. CARDIOVASCULAR

Drug Class	Preferred Agents	Non-Preferred Agents
Calcium Channel Blockers (DHP)	amlodipine nifedipine ER/SA/SR	<i>Adalat CC</i> [®] <i>Afeditab</i> [™] CR <i>Dynacirc</i> [®] <i>felodipine ER</i> <i>isradipine</i> <i>Katerzia</i> [™] <i>nicardipine</i> <i>nifedipine IR</i> ^{CC} <i>nimodipine</i> ^{CC} <i>nisoldipine ER</i> <i>Norvasc</i> [®] <i>Nymalize</i> [®] ^{CC} <i>Plendil</i> [®] <i>Procardia</i> [®] <i>Procardia XL</i> [®] <i>Sular</i> [®]
Calcium Channel Blockers (Non-DHP)	diltiazem diltiazem ER verapamil verapamil ER (except 360 mg capsules)	<i>Calan</i> [®] <i>Calan</i> [®] SR <i>Cardizem</i> [®] <i>Cardizem CD</i> [®] <i>Cardizem LA</i> [®] <i>Cartia XT</i> <i>Dilt-XR</i> <i>Diltia XT</i> [®] <i>diltiazem LA</i> <i>Matzim LA</i> [™] <i>Taztia XT</i> <i>Tiazac</i> [®] <i>verapamil ER 360 mg capsules</i> <i>verapamil ER PM</i> <i>Verelan</i> [®] <i>Verelan PM</i> [®]
Pulmonary Arterial Hypertension (PAH) Agents	ambrisentan ^{CC} Revatio [™] suspension ^{CC} sildenafil tablets ^{CC} tadalafil ^{CC, QL} Tracleer [®] tablets ^{CC} Ventavis [®] ^{CC}	<i>Adcirca</i> [™] ^{QL} <i>Adempas</i> [®] <i>bosentan tablets</i> <i>Letairis</i> [™] <i>Opsumit</i> [®] <i>Orenitram ER</i> [™] <i>Revatio</i> [™] tablets <i>sildenafil suspension</i> <i>Tracleer</i> [®] 32 mg tablets for suspension ^{CC} <i>Tyvaso</i> [™] <i>Uptravi</i> [®] ^{QL}

I. CARDIOVASCULAR

Drug Class	Preferred Agents	Non-Preferred Agents
Lipotropics: Bile Acid Sequestrants	cholestyramine cholestyramine light colestipol tablets Prevalite®	<i>Colestid</i> ® <i>colesevelam</i> <i>colestipol granules/packets</i> <i>Questran</i> ® <i>Questran Light</i> ® <i>WelChol</i> ®
Lipotropics: Fibric Acid Derivatives	fenofibrate nanocrystallized (generic Tricor®) fenofibric acid (generic Trilipix®) gemfibrozil	<i>Antara</i> ® <i>fenofibrate</i> <i>Fenoglide</i> ® <i>Lipofen</i> ® <i>Lofibra</i> ® <i>Lopid</i> ® <i>TriCor</i> ® <i>Triglide</i> ® <i>Trilipix</i> ®
Lipotropics: Other	ezetimibe niacin ER omega-3 acid ethyl esters	<i>icosapent ethyl</i> <i>Juxtapid</i> ® CC <i>Lovaza</i> ® <i>Nexletol</i> ™ CC, QL <i>Nexlizet</i> ™ CC, QL <i>Niaspan</i> ® <i>Praluent</i> ® CC <i>Repatha</i> ™ CC <i>Vascepa</i> ® <i>Zetia</i> ®
Lipotropics: Statins	atorvastatin ^{QL} lovastatin ^{QL} pravastatin ^{QL} simvastatin ^{QL} rosuvastatin ^{QL}	<i>Altoprev</i> ® QL <i>amlodipine/atorvastatin</i> CC, QL <i>Caduet</i> ® QL <i>Crestor</i> ® QL <i>Ezallor</i> ™ Sprinkle ^{QL} <i>ezetimibe/simvastatin</i> QL <i>fluvastatin</i> QL <i>fluvastatin ER</i> QL <i>Lescol XL</i> ® QL <i>Lipitor</i> ® QL <i>Livalo</i> ® QL <i>Pravachol</i> ® QL <i>Vytorin</i> ™ QL <i>Zocor</i> ® QL <i>Zypitamag</i> QL
Platelet Aggregation Inhibitors	Aggrenox® Brilinta™ cilostazol clopidogrel dipyridamole prasugrel	<i>aspirin/dipyridamole</i> <i>Durlaza ER</i> ® QL <i>Effient</i> ™ <i>Plavix</i> ® <i>ticlopidine</i> <i>Zontivity</i> ™

AE = Age Edits CC = Clinical Criteria MD = Medications with Maximum Duration QL = Quantity Limits ST = Step Therapy

I. CARDIOVASCULAR

Drug Class	Preferred Agents	Non-Preferred Agents
Anticoagulants	Eliquis® enoxaparin Jantoven® Pradaxa® warfarin Xarelto®	Arixtra™ Coumadin® fondaparinux Fragmin® Lovenox® Savaysa™

II. GASTROINTESTINAL

Drug Class	Preferred Agents	Non-Preferred Agents
Anti-Emetics: Other	meclizine metoclopramide oral solution, tablets prochlorperazine tablets promethazine syrup, tablets promethazine 12.5, 25 mg suppositories Transderm-Scop®	Compazine® Compro® Bonjesta® CC, QL Diclegis™ CC, QL doxylamine/pyridoxine CC, QL metoclopramide ODT Phenadoz® Phenergan® prochlorperazine suppositories promethazine 50 mg suppositories Reglan® scopolamine transdermal system Tigan® trimethobenzamide
Oral Anti-Emetics: 5-HT3 Antagonists	ondansetron	Aloxi® QL Anzemet® granisetron Sancuso® CC, QL Zofran® Zuplenz®
Oral Anti-Emetics: NK-1 Antagonists	Emend® capsules QL	Akynzeo® QL aprepitant QL Emend® powder packet QL Varubi® CC, QL
Oral Anti-Emetics: Δ-9-THC Derivatives	dronabinol CC, QL	Cesamet® CC, QL Marinol® CC, QL
H2 Receptor Antagonists	famotidine	cimetidine nizatidine Pepcid®

II. GASTROINTESTINAL

Drug Class	Preferred Agents	Non-Preferred Agents
Proton Pump Inhibitors	esomeprazole magnesium capsules ^{QL} lansoprazole capsules ^{QL} Nexium [®] suspension ^{QL} omeprazole capsules ^{QL} pantoprazole tablets ^{QL}	Aciphex ^{® QL} Dexilant ^{™ QL} esomeprazole suspension ^{QL} esomeprazole strontium ^{QL} lansoprazole ODT ^{QL} Nexium [®] capsules ^{QL} omeprazole suspension ^{QL} omeprazole/sodium bicarbonate ^{QL} pantoprazole suspension ^{QL} Prevacid ^{® QL} Prilosec ^{® QL} Protonix ^{® QL} rabeprazole ^{QL} Zegerid ^{® QL}
Anti-Ulcer Protectants	Carafate [®] suspension misoprostol sucralfate tablets	Carafate [®] tablets Cytotec [®] sucralfate suspension
H. pylori Treatment	Pylera ^{® QL}	Helidac ^{® QL} lansoprazole/amoxicillin/clarithromycin ^{QL} Omeclamox-Pak ^{™ QL} Prevpac ^{® QL} Talia [®]
Antispasmodics/ Anticholinergics	dicyclomine glycopyrrolate hyoscyamine methscopolamine	Anaspaz [®] Bentyl [®] chlordiazepoxide/clidinium Cuvposa [®] Hyosyne [®] Levbid [®] Levsin [®] Librax [®] Oscimin [®] Phenohydro [®] phenobarbital/hyoscyamine/atropine/scopolamine propantheline Robinul [®] Robinul Forte [®] Symax [®]
Bile Salts	ursodiol capsules, tablets	Actigall [®] Chenodal [®] Cholbam [®] Ocaliva ^{® CC, QL} Urso [®] , Urso Forte [®]

II. GASTROINTESTINAL

Drug Class	Preferred Agents	Non-Preferred Agents
Antidiarrheals	diphenoxylate with atropine tablets loperamide	<i>diphenoxylate with atropine liquid</i> <i>Lomotil®</i> <i>Motofen®</i> <i>Mytesi™ CC, QL</i> <i>opium</i> <i>paregoric</i> <i>Restora®</i>
Ulcerative Colitis Agents	Apriso™ balsalazide Lialda™ mesalamine enema (generic Rowasa®) mesalamine suppository (generic Canasa®) Pentasa® sulfasalazine sulfasalazine EC	<i>Asacol® HD</i> <i>Azulfidine®</i> <i>Azulfidine EN-tabs®</i> <i>budesonide ER (generic Uceris®)</i> <i>Canasa®</i> <i>Colazal®</i> <i>Delzicol®</i> <i>Dipentum®</i> <i>Giazo®</i> <i>mesalamine oral formulations (generics of Apriso™, Delzicol®, and Lialda™)</i> <i>Rowasa®, sfRowasa®</i> <i>Uceris®</i>
Laxatives and Cathartics	lactulose solution (including Constulose®, Enulose®, Generlac) MoviPrep® polyethylene glycol (PEG) 3350 bottle PEG 3350/electrolyte solution for reconstitution (including GaviLyte-C®, GaviLyte-G®) PEG 3350/electrolyte solution with flavor packs	<i>alvimopan</i> <i>Clenpiq™</i> <i>CoLyte®</i> <i>Entereg®</i> <i>GaviLyte-N®</i> <i>GoLyteLy®</i> <i>Kristalose®</i> <i>NuLyteLy®</i> <i>OsmoPrep® Tablets</i> <i>PEG 3350 powder packets</i> <i>PEG-3350, sodium sulfate, sodium chloride, potassium chloride, sodium ascorbate and ascorbic acid for oral solution</i> <i>Prepopik™</i> <i>Suprep®</i> <i>Sutab®</i> <i>Trilyte®</i>
GI Motility Agents	Amitiza® CC, QL Linzess® CC, QL Movantik® CC, QL	<i>alosetron CC, QL</i> <i>Lotronex® CC, QL</i> <i>Motegrity™ CC, QL</i> <i>Relistor® CC, QL</i> <i>Symproic® CC, QL</i> <i>Trulance™ CC, QL</i> <i>Viberzi® CC, QL</i>

III. RESPIRATORY

Drug Class	Preferred Agents	Non-Preferred Agents
Antibiotics, Inhaled	Bethkis ^{® QL} Kitabis ^{™ Pak QL}	Arikayce ^{® CC, QL} Cayston ^{® QL} TOBI ^{® QL} TOBI Podhaler ^{® QL} tobramycin inhalation solution ^{QL}
Minimally Sedating Antihistamines	cetirizine oral solution, tablets levocetirizine tablets loratadine OTC loratadine-pseudoephedrine 12-Hour OTC loratadine-pseudoephedrine 24-Hour OTC	Clarinet [®] Clarinet-D ^{® 12 Hr} Clarinet-D ^{® 24 Hr} desloratadine levocetirizine solution Semprex D [®] Xyzal [®] Zyrtec [®] Zyrtec-D
Intranasal Antihistamines and Anticholinergics	azelastine 0.1% ipratropium nasal spray olopatadine	Astepro [®] azelastine 0.15% Patanase [™]
Short-Acting Beta₂ Adrenergic Agonists	albuterol inhalation solution ^{QL} albuterol low-dose inhalation solution ^{QL} ProAir ^{® HFA QL} terbutaline tablets ^{QL} Ventolin HFA ^{® QL}	albuterol HFA ^{QL} albuterol oral syrup, tablets ^{QL} albuterol ER tablets ^{QL} levalbuterol inhalation solution ^{QL} metaproterenol oral syrup, tablets ^{QL} ProAir ^{® Digihaler™ QL} ProAir Respiclick ^{® QL} Proventil ^{® HFA QL} Xopenex ^{® QL} Xopenex HFA ^{® QL}
Long-Acting Beta₂ Adrenergic Agonists	Serevent ^{® Diskus QL}	Arcapta ^{™ Neohaler™ QL} Brovana ^{® CC, QL} Perforomist ^{™ CC, QL} Striverdi ^{® RespiMat^{® QL}}
Beta Agonists: Combination Products	Advair ^{® Diskus QL} Advair ^{® HFA QL} Dulera ^{® QL} Symbicort ^{® QL}	AirDuo ^{™ Digihaler™ CC, QL} AirDuo ^{™ Respiclick^{® CC, QL}} Breo ^{® Ellipta^{® QL}} budesonide/formoterol ^{QL} fluticasone/salmeterol Wixela ^{™ Inhub™ QL}
COPD Agents	albuterol-ipratropium inhalation solution ^{QL} Anoro ^{® Ellipta^{® QL}} Atrovent ^{® HFA QL} Bevespi Aerosphere ^{™ QL} Combivent ^{® RespiMat^{® QL}} ipratropium inhalation solution ^{QL} Spiriva Handihaler ^{® QL} Stiolto ^{™ RespiMat^{® QL}}	Breztri Aerosphere ^{™ QL} Daliresp ^{™ CC, QL} Duaklir ^{® Pressair[®]} Incruse ^{® Ellipta^{® QL}} Lonhala ^{™ Magnair™ CC, QL} Spiriva ^{® RespiMat^{® QL}} Trelegy Ellipta ^{CC, QL} Tudorza ^{® Pressair™ QL} Yupleri ^{® CC, QL}

AE = Age Edits CC = Clinical Criteria MD = Medications with Maximum Duration QL = Quantity Limits ST = Step Therapy

III. RESPIRATORY

Drug Class	Preferred Agents	Non-Preferred Agents
Inhaled Corticosteroids	Asmanex [®] Twisthaler ^{QL} budesonide inhalation suspension ^{AE, QL} Flovent HFA ^{® QL}	Alvesco ^{® QL} ArmonAir [™] Digihaler [™] ArmonAir [™] RespiClick [®] Arnuity [®] Ellipta ^{® QL} Asmanex [®] HFA ^{QL} Flovent Diskus ^{® QL} Pulmicort Flexhaler ^{® QL} Pulmicort Respules ^{® QL} QVAR [®] Redihaler [™]
Intranasal Corticosteroids	fluticasone propionate ^{QL}	azelastine/fluticasone ^{QL} Beconase AQ ^{® QL} budesonide ^{QL} Children's Qnasl ^{™ QL} Dymista ^{® QL} flunisolide ^{QL} Nasonex ^{® QL} Omnaris ^{™ QL} Qnasl ^{™ QL} triamcinolone ^{QL} Veramyst ^{® QL} Xhance ^{™ CC} Zetonna ^{™ QL}
Leukotriene Modifiers	montelukast chewables, tablets ^{QL} montelukast granules ^{AE, QL}	Accolate ^{® QL} Singulair ^{® QL} zileuton ER ^{QL} zafirlukast ^{QL} Zyflo ^{® QL} Zyflo CR ^{® QL}
Self Injectable Epinephrine	epinephrine 0.3 mg (generic EpiPen [®]) ^{QL} epinephrine 0.15 mg (generic EpiPen Jr. [®]) ^{QL}	epinephrine 0.3 mg (generic Adrenaclick [®]) ^{QL} epinephrine 0.15 mg (generic Adrenaclick [®]) ^{QL} EpiPen ^{® QL} EpiPen Jr. ^{® QL} Symjepi ^{™ QL}

IV. CENTRAL NERVOUS SYSTEM

Drug Class	Preferred Agents	Non-Preferred Agents
Alzheimer's Agents	donepezil 5 and 10 mg tablets, ODT Exelon® Patch memantine tablets rivastigmine capsules	Aricept® donepezil 23 mg tablets ^{CC} Exelon® capsules galantamine galantamine ER memantine ER memantine solution Namzaric® Namenda® tablets Namenda XR® Razadyne® rivastigmine patch
Antianxiety Agents	alprazolam IR tablets ^{MD} buspirone chlordiazepoxide ^{MD} diazepam oral solution, tablets ^{MD} lorazepam ^{MD}	alprazolam ER ^{MD} alprazolam ODT ^{MD} alprazolam IntenSol ^{MD} Ativan® ^{MD} clorazepate ^{MD} diazepam IntenSol ^{MD} meprobamate oxazepam ^{MD} Tranxene-T® ^{MD} Valium® ^{MD} Xanax® ^{MD} Xanax XR ^{MD}
Antidepressants: MAOIs	N/A	Emsam® Marplan® Nardil® phenelzine tranylcypromine
Antidepressants: Other	bupropion bupropion XL 150, 300 mg tablets bupropion SR trazodone	Aplenzin™ bupropion XL 450 mg tablets Forfivo XL™ nefazodone Spravato™ ^{CC, QL} Viibryd™ Trintellix™ Wellbutrin®/Wellbutrin® SR/Wellbutrin® XL
Antidepressants: SNRIs	desvenlafaxine succinate ER (generic Pristiq®) venlafaxine venlafaxine ER capsules	desvenlafaxine ER base desvenlafaxine fumarate ER Effexor XR® Fetzima® Khedezla™ Pristiq® venlafaxine ER tablets

IV. CENTRAL NERVOUS SYSTEM

Drug Class	Preferred Agents	Non-Preferred Agents
Antidepressants: SSRIs	citalopram escitalopram tablets fluoxetine capsules, solution fluoxetine ER paroxetine sertraline	<i>Brisdelle™</i> ^{CC} <i>Celexa®</i> <i>escitalopram solution</i> <i>fluoxetine 90 mg DR, tablets</i> ^{QL} <i>fluvoxamine</i> <i>fluvoxamine ER</i> <i>Lexapro™</i> <i>paroxetine controlled release</i> <i>Paxil®</i> <i>Paxil® CR</i> <i>Pexeva®</i> <i>Prozac®</i> <i>Sarafem®</i> <i>Zoloft®</i>
Antidepressants: Tricyclics	amitriptyline clomipramine doxepin concentrate imipramine hydrochloride mirtazapine nortriptyline capsule	<i>Anafranil®</i> <i>amoxapine</i> <i>desipramine</i> <i>doxepin capsules, tablets</i> <i>imipramine pamoate</i> <i>maprotiline</i> <i>Norpramin®</i> <i>nortriptyline solution</i> <i>Pamelor®</i> <i>protriptyline</i> <i>Remeron®</i> <i>Silenor®</i> <i>Surmontil®</i> <i>Tofranil®</i>
Anticonvulsants: First Generation	Celontin® clobazam ^{QL} clonazepam tablets ^{QL} diazepam rectal gel ^{QL} divalproex delayed-release divalproex sodium ER divalproex sprinkle ethosuximide felbamate Peganone® phenobarbital ^{CC} phenytoin IR/ER primidone ^{CC} valproate valproic acid Valtoco® ^{QL}	<i>clonazepam ODT</i> <i>Depakene®</i> <i>Depakote®</i> <i>Depakote ER®</i> <i>Depakote® Sprinkle</i> <i>DiaStat®</i> ^{QL} <i>Dilantin®</i> <i>Felbatol®</i> <i>Klonopin®</i> ^{QL} <i>Mysoline®</i> <i>Nayzilam®</i> ^{CC, QL} <i>Orfi™</i> ^{QL} <i>Phenytek®</i> <i>Sympazan™</i> ^{CC, QL} <i>Zarontin®</i>

IV. CENTRAL NERVOUS SYSTEM

Drug Class	Preferred Agents	Non-Preferred Agents
Anticonvulsants: Second Generation	Banzel [®] CC, QL Gabitril [®] QL lamotrigine chewable tablets, tablets (except dose packs) levetiracetam ER ^{QL} levetiracetam solution, tablets ^{QL} Sabril [®] CC topiramate ^{QL} zonisamide ^{QL}	<i>Briviact[®] QL</i> <i>Diacomit[™] CC, QL</i> <i>Epidiolex[™] CC</i> <i>Fycompa[™] QL</i> <i>Keppra[®] solution, tablets^{QL}</i> <i>Keppra XR[®] QL</i> <i>Lamictal[®]</i> <i>Lamictal ODT[®]</i> <i>Lamictal[®] XR[™] QL</i> <i>lamotrigine dose packs</i> <i>lamotrigine ER^{QL}</i> <i>lamotrigine ODT</i> <i>Qudexy[®] XR^{QL}</i> <i>rufinamide^{QL}</i> <i>Spritam^{QL}</i> <i>tiagabine^{QL}</i> <i>Topamax[®] QL</i> <i>topiramate ER^{QL}</i> <i>Trokendi XR[™] QL</i> <i>vigabatrin</i> <i>Vimpat[®] QL</i> <i>Xcopri[®] CC, QL</i>
Anticonvulsants: Carbamazepine Derivatives	carbamazepine tablets carbamazepine ER capsules (generic Carbatrol [®]) carbamazepine ER tablets Equetro [™] oxcarbazepine ^{QL} Tegretol [®] suspension	<i>Aptiom[®] QL</i> <i>carbamazepine suspension</i> <i>Carbatrol[®]</i> <i>Epitol[®]</i> <i>Oxtellar[™] XR^{QL}</i> <i>Tegretol[®] tablets</i> <i>Tegretol[®] XR</i> <i>Trileptal[®] QL</i>
First-Generation Antipsychotics	amitriptyline/perphenazine chlorpromazine fluphenazine haloperidol loxapine perphenazine thioridazine thiothixene trifluoperazine	<i>Adasuve[®]</i> <i>pimozide</i>

IV. CENTRAL NERVOUS SYSTEM

Drug Class	Preferred Agents	Non-Preferred Agents
Second-Generation Antipsychotics	aripiprazole tablets ^{CC, QL} clozapine tablets ^{CC, QL} Latuda [®] ^{CC, QL} olanzapine ^{CC, QL} quetiapine ^{CC, QL} quetiapine ER ^{CC, QL} risperidone ^{CC, QL} Saphris [®] ^{CC, QL} Vraylar [™] ^{CC, QL} ziprasidone capsules ^{CC, QL}	Abilify [®] oral formulations ^{QL} aripiprazole ODT, oral solution Caplyta [®] ^{CC, QL} clozapine ODT ^{QL} Clozaril [®] ^{QL} Fanapt [™] ^{QL} FazaClo [®] ^{QL} Geodon [®] capsules ^{QL} Invega [®] ^{QL} olanzapine/fluoxetine ^{CC, QL} Nuplazid [™] ^{CC, QL} paliperidone ^{QL} Rexulti [®] ^{QL} Risperdal [®] ^{QL} Secuado [®] ^{QL} Seroquel [®] ^{QL} Seroquel [®] XR ^{QL} Symbyax [®] ^{CC, QL} Versacloz [®] ^{QL} Zyprexa [®] ^{QL}
Antipsychotics: Injectable	Abilify Maintena [™] ^{CC, QL} Aristada ER [™] ^{CC, QL} Aristada Initio [™] ^{CC, QL} fluphenazine decanoate ^{CC, QL} Geodon [®] injection ^{CC, QL} haloperidol decanoate ^{CC, QL} haloperidol lactate ^{CC, QL} Invega [®] Sustenna [®] ^{CC, QL} Invega Trinza [™] ^{CC, QL} olanzapine ^{CC, QL} Risperdal [®] Consta [®] ^{CC, QL}	Haldol [®] Decanoate ^{QL} Haldol [®] Lactate ^{QL} Perseris [™] ziprasidone injection ^{QL} Zyprexa [®] ^{QL} Zyprexa [®] Relprevv ^{QL}

IV. CENTRAL NERVOUS SYSTEM

Drug Class	Preferred Agents	Non-Preferred Agents
Stimulants and Related Agents	Adderall XR [®] CC, QL	Adderall [®] QL
	Concerta [®] CC, QL	Adhansia XR [™] QL
	atomoxetine CC, QL	Adzenys ER [™]
	dexmethylphenidate CC, QL	Adzenys XR-ODT [™] QL
	dextroamphetamine CC, QL	amphetamine ER suspension QL
	Focalin XR [®] CC, QL	amphetamine sulfate
	guanfacine ER CC, QL	Aptensio XR [®] QL
	methylphenidate tablets CC, QL	clonidine ER QL
	mixed amphetamine salts tablets CC, QL	Cotempla XR-ODT [™] QL
	Vyvanse [®] capsules, chewable tablets CC, QL	Daytrana [®] QL
		Desoxyn [®] QL
		Dexedrine [®] QL
		dexmethylphenidate ER QL
	dextroamphetamine ER QL	
	dextroamphetamine solution QL	
	Dyanavel [®] XR QL	
	Evekeo [®] QL	
	Evekeo [®] ODT QL	
	Focalin [®] QL	
	Intuniv [®] QL	
	Jornay PM [™] QL	
	Metadate [®] ER QL	
	methamphetamine QL	
	Methylin [®] solution QL	
	methylphenidate CD (generic Metadate CD [®]) QL	
	methylphenidate chewable tablets QL	
	methylphenidate ER tablets QL	
	methylphenidate ER OROS (generic Concerta [®]) QL	
	methylphenidate LA (generic Ritalin LA [®]) QL	
	methylphenidate solution QL	
	mixed amphetamine salts ER capsules QL	
	Mydayis [™] QL	
	ProCentra [®] QL	
	QuilliChew ER [™] QL	
	Quillivant XR [®] QL	
	Relexxij QL	
	Ritalin [®] QL	
	Ritalin LA [®] QL	
	Strattera [®] QL	
	Zenzedi [®] QL	

IV. CENTRAL NERVOUS SYSTEM

Drug Class	Preferred Agents	Non-Preferred Agents
Anti-Migraine: 5-HT1 Receptor Agonists	rizatriptan ^{QL} rizatriptan ODT ^{QL} sumatriptan nasal spray, syringe, tablet, vial ^{QL}	<i>almotriptan</i> ^{QL} <i>Amerge</i> ^{® QL} <i>Axert</i> ^{® QL} <i>Cambia</i> [™] <i>eletriptan</i> ^{QL} <i>Frova</i> ^{™ QL} <i>frovatriptan</i> ^{QL} <i>Imitrex</i> ^{® QL} <i>Maxalt</i> ^{® QL} <i>Maxalt-MLT</i> ^{® QL} <i>naratriptan</i> ^{QL} <i>Onzetra</i> ^{™ XSail} ^{™ QL} <i>Relpax</i> ^{™ QL} <i>Reyvow</i> ^{™ CC, QL} <i>sumatriptan kit</i> ^{QL} <i>sumatriptan/naproxen</i> ^{QL} <i>Treximet</i> ^{™ QL} <i>Tosymra</i> [™] <i>Zembrace</i> ^{™ SymTouch} ^{™ QL} <i>zolmitriptan</i> ^{QL} <i>zolmitriptan ODT</i> ^{QL} <i>Zomig</i> ^{® QL} <i>Zomig-ZMT</i> ^{® QL}
Anti-Migraine: CGRP Inhibitors	Ajovy ^{™ CC, QL} Emgality ^{™ 120 mg/mL} ^{CC, QL} Nurtec ^{™ ODT} ^{CC, QL}	<i>Aimovig</i> ^{™ QL} <i>Emgality</i> ^{™ 100 mg/mL} ^{CC, QL} <i>Ubrelvy</i> ^{™ CC, QL}
Dopamine Receptor Agonists	bromocriptine pramipexole ropinirole	<i>Mirapex</i> ^{® ER} <i>Neupro</i> [®] <i>Parlodel</i> [®] <i>pramipexole ER</i> <i>ropinirole ER</i>
Movement Disorders	tetrabenazine	<i>Austedo</i> ^{® CC, QL} <i>Ingrezza</i> ^{® CC, QL} <i>Xenazine</i> [®]
Narcolepsy Agents	modafinil ^{CC, QL}	<i>armodafinil</i> ^{QL} <i>Nuvigil</i> ^{® QL} <i>Provigil</i> ^{® QL} <i>Sunosi</i> ^{™ CC, QL} <i>Wakix</i> ^{® CC, QL} <i>Xyrem</i> ^{® CC, QL} <i>Xywav</i> ^{™ CC, QL}

IV. CENTRAL NERVOUS SYSTEM

Drug Class	Preferred Agents	Non-Preferred Agents
Neuropathic Pain	duloxetine DR (generic Cymbalta®) gabapentin capsules, solution, tablets ^{QL} lidocaine 5% patch ^{QL} pregabalin ^{CC, QL}	Cymbalta® DermacinRx PHN Pak™ duloxetine (generic Irenka™) Drizalma Sprinkle™ Gralise™ Horizant® Lidoderm® ^{QL} Lyrica® ^{QL} Lyrica® CR ^{QL} Neurontin® ^{QL} Savella® ZTlido™
Parkinson's Disease	amantadine benztropine entacapone levodopa/carbidopa levodopa/carbidopa CR levodopa/carbidopa ODT selegiline trihexyphenidyl	Azilect® carbidopa Comtan® Duopa™ Gocovri™ Inbrija™ Kynmobi™ ^{CC, QL} levodopa/carbidopa/entacapone Lodosyn® Nourianz™ ^{CC QL} Osmolex™ ER rasagiline Rytary™ Sinemet® Sinemet® CR Stalevo® Tasmart® tolcapone Xadago® ^{CC, QL} Zelapar™

IV. CENTRAL NERVOUS SYSTEM

Drug Class	Preferred Agents	Non-Preferred Agents
Sedative Hypnotic Agents	temazepam 15 mg, 30 mg ^{MD, QL} zolpidem ^{MD, QL}	<i>Ambien</i> ® ^{MD, QL} <i>Ambien CR</i> ® ^{MD, QL} <i>Belsomra</i> ® ^{MD, QL} <i>Dayvigo</i> ™ ^{MD, QL} <i>Doral</i> ® ^{MD, QL} <i>Edluar</i> ® ^{CC, MD, QL} <i>estazolam</i> ^{MD, QL} <i>eszopiclone</i> ^{MD, QL} <i>flurazepam</i> ^{MD, QL} <i>Halcion</i> ® ^{MD, QL} <i>Hetlioz</i> ® ^{CC, QL} <i>Intermezzo</i> ® ^{MD, QL} <i>Lunesta</i> ™ ^{MD, QL} <i>ramelteon</i> ^{CC, MD, QL} <i>Restoril</i> ® ^{MD, QL} <i>Rozerem</i> ® ^{CC, MD, QL} <i>Sonata</i> ® ^{MD, QL} <i>temazepam 7.5 mg, 22.5 mg</i> ^{MD, QL} <i>triazolam</i> ^{MD, QL} <i>zaleplon</i> ^{MD, QL} <i>zolpidem ER</i> ^{MD, QL} <i>Zolpimist</i> ™ ^{MD, QL}
Skeletal Muscle Relaxants	baclofen ^{QL} chlorzoxazone ^{QL} cyclobenzaprine ^{QL} methocarbamol ^{QL} orphenadrine ^{QL} tizanidine tablets ^{QL}	<i>Amrix</i> ® ^{QL, MD} <i>carisoprodol</i> ^{QL, MD} <i>carisoprodol compound</i> ^{QL, MD} <i>cyclobenzaprine ER</i> ^{QL, MD} <i>Dantrium</i> ® ^{QL} <i>dantrolene</i> ^{QL, CC} <i>Fexmid</i> ® ^{QL, MD} <i>Lorzone</i> ® ^{QL} <i>metaxalone</i> ^{QL} <i>Norgesic Forte</i> <i>Robaxin</i> ® ^{QL} <i>Skelaxin</i> ® ^{QL} <i>Soma</i> ® ^{QL, MD} <i>tizanidine capsules</i> ^{QL} <i>Zanaflex</i> ® ^{QL}
Spinal Muscular Atrophy	N/A	<i>Zolgensma</i> ® ^{CC}
Tobacco Cessation	bupropion SR ^{QL} Chantix® ^{AE, QL} nicotine buccal/gum/lozenge ^{QL} nicotine transdermal system ^{QL} Nicotrol® Inhaler ^{QL} Nicotrol® NS ^{QL}	<i>Commit</i> ® ^{QL} <i>Nicoderm</i> ® ^{QL} <i>Nicoderm CQ</i> ® ^{QL} <i>Nicorelief</i> ® ^{QL} <i>Nicorette</i> ® ^{QL} <i>Nicotrol</i> ® Patch ^{QL}

V. ANALGESICS

Drug Class	Preferred Agents	Non-Preferred Agents
Narcotic Agonist/ Antagonists	N/A	butorphanol NS pentazocine/naloxone
Narcotics: Short-Acting	butalbital/APAP/caffeine ^{CC} codeine/APAP ^{CC, MD, QL} hydrocodone/APAP ^{CC, MD, QL} hydrocodone/ibuprofen ^{CC, MD, QL} hydromorphone tablets ^{CC, MD, QL} morphine concentrate, solution, tablets ^{CC, MD, QL} oxycodone solution, tablets ^{CC, MD, QL} oxycodone/APAP ^{CC, MD, QL} tramadol ^{CC, MD, QL}	Apadaz™ ^{MD, QL} Ascomp® with codeine ^{CC, QL} benzhydrocodone/APAP ^{MD, QL} butalbital/APAP/caffeine/codeine ^{CC, QL} butalbital compound/codeine ^{CC, QL} Capital® with codeine ^{MD, QL} carisoprodol compound ^{MD, QL} codeine ^{MD, QL} Demerol™ ^{MD, QL} dihydrocodeine bitartrate/APAP/caffeine ^{MD, QL} dihydrocodeine bitartrate/ASA/caffeine ^{MD, QL} Dilaudid® ^{MD, QL} Fiorinal with codeine ^{MD, QL} hydromorphone liquid, suppositories ^{MD, QL} Ibudone™ ^{MD, QL} levorphanol ^{MD, QL} Lorcet® ^{MD, QL} , Lorcet® HD ^{MD, QL} , Lorcet® Plus ^{MD, QL} Lortab® ^{MD, QL} meperidine solution, tablets ^{MD, QL} morphine suppository ^{MD, QL} Norco® ^{MD, QL} Nucynta™ ^{MD, QL} Opana® ^{MD, QL} Oxaydo® ^{MD, QL} oxycodone capsules, concentrate ^{MD, QL} oxycodone/ASA ^{MD, QL} oxycodone/ibuprofen ^{MD, QL} oxymorphone ^{MD, QL} Panlor® ^{MD, QL} Percocet® ^{MD, QL} Primlev® (brand and generic) ^{MD, QL} Repraxain® ^{MD, QL} Roxicodone® ^{MD, QL} Roxybond™ ^{MD, QL} Synalgos-DC® ^{MD, QL} tramadol/APAP ^{MD, QL} Tylenol® with codeine ^{MD, QL} Ultracet® ^{MD, QL} Ultram® ^{MD, QL} Vanatol™ LQ ^{CC} , Vanatol® S ^{CC} , Vtol LQ™ ^{CC} Verdrocet ^{MD, QL} Vicodin® ^{MD, QL} , Vicodin ES® ^{MD, QL} , Vicodin HP® ^{MD, QL} Xartemis™ XR ^{MD, QL} Xodol® ^{MD, QL} Xylon™ ^{MD, QL} Zamicet™ ^{MD, QL}

AE = Age Edits CC = Clinical Criteria MD = Medications with Maximum Duration QL = Quantity Limits ST = Step Therapy

V. ANALGESICS

Drug Class	Preferred Agents	Non-Preferred Agents
Narcotics: Long-Acting	Embeda™ CC, QL (discontinued November 15, 2019) fentanyl transdermal 12, 25, 50, 75, 100 mcg CC, QL morphine sulfate SA (generic MS Contin®) CC, QL	Arymo® ER QL Belbuca™ QL buprenorphine patch CC, QL Butrans™ CC, QL ConZip™ QL Duragesic® CC, QL Exalgo™ QL fentanyl transdermal 37.5, 62.5, 87.5 mcg CC, QL hydrocodone ER QL hydromorphone ER QL Hysingla™ ER QL Kadian® QL Morphabond™ ER QL morphine sulfate SA (generic Kadian®, Avinza™) QL MS Contin® QL Nucynta® ER CC, QL oxycodone ER QL OxyContin® QL oxymorphone ER QL tramadol ER QL Ultram® ER QL Xtampza™ ER QL Zohydro ER™ QL
Narcotics: Fentanyl Buccal Products	N/A	Abstral® CC, QL Actiq® CC, QL fentanyl citrate lollipop CC, QL Fentora® CC, QL Lazanda® CC, QL
Opiate Dependence Treatments	buprenorphine/naloxone SL tablets AE, QL naltrexone Sublocade™ QL Suboxone® films AE, QL Vivitrol®	Bunavail® CC, QL buprenorphine CC, QL buprenorphine/naloxone SL films CC, QL Lucemyra™ CC, QL Probuphine® CC, QL Zubsolv® CC, QL

V. ANALGESICS

Drug Class	Preferred Agents	Non-Preferred Agents
Non-Steroidal Anti-Inflammatory Drugs (NSAIDs)	celecoxib ^{QL} diclofenac sodium DR tablets diclofenac sodium ER diclofenac sodium topical gel (1%) ibuprofen indomethacin ketorolac tablets ^{QL} meloxicam tablets naproxen tablets sulindac	Anaprox [®] DS Arthrotec [®] Celebrex [®] ^{QL} Daypro [®] diclofenac epolamine patches diclofenac/misoprostol diclofenac potassium diclofenac topical solution diflunisal Diclofex DC Duexis [®] ^{CC} EC-Naprosyn [®] etodolac, etodolac SR Feldene [®] fenoprofen Flector [®] ^{CC} flurbiprofen Indocin [®] indomethacin ER ketoprofen, ketoprofen ER ketorolac nasal spray ^{CC} Licart [™] meclofenamate mefenamic acid meloxicam suspension Mobic [®] nabumetone Nalfon [®] Naprelan [®] EC Naprosyn [®] naproxen CR, naproxen EC naproxen suspension naproxen/esomeprazole oxaprozin Pennsaid [®] ^{CC} piroxicam Ponstel [®] Qmii [™] ODT Relafen [™] , Relafen [™] DS Sprix [™] ^{CC} Tivorbex [®] tolmetin Vimovo [™] ^{CC, QL} Vivlodex [™] ^{QL} Zipsor [™] Zorvolex [®]

VI. ANTI-INFECTIVES

Drug Class	Preferred Agents	Non-Preferred Agents
Antibiotics: Cephalosporins 1st Generation	cefadroxil capsules cephalexin	<i>cefadroxil tablets, suspension</i> <i>Daxbia™</i> <i>Keflex®</i>
Antibiotics: Cephalosporins 2nd Generation	cefaclor capsule cefprozil cefuroxime axetil	<i>cefaclor CD</i> <i>Ceftin®</i>
Antibiotics: Cephalosporins 3rd Generation	cefdinir	<i>cefditoren pivoxil</i> <i>cefixime</i> <i>cefpodoxime</i> <i>ceftibuten</i> <i>Spectracef®</i> <i>Suprax®</i>
Antibiotics: Gastrointestinal (GI)	Firvanq™ CC metronidazole tablets vancomycin capsules CC Xifaxan® CC, QL	<i>Alinia®</i> <i>Difcid® QL</i> <i>Flagyl®</i> <i>metronidazole capsules</i> <i>neomycin</i> <i>nitazoxanide</i> <i>paromomycin</i> <i>Solosec™ CC, QL</i> <i>Tindamax®</i> <i>tinidazole</i> <i>Vancocin®</i> <i>vancomycin solution</i>
Antibiotics: Macrolides	azithromycin clarithromycin E.E.S.® granules for suspension erythromycin base capsules DR	<i>clarithromycin ER</i> <i>E.E.S 400® tablets</i> <i>EryPed®</i> <i>Ery-Tab®</i> <i>Erythrocin®</i> <i>erythromycin base tablets</i> <i>erythromycin ethylsuccinate 200mg suspension</i> <i>PCE®</i> <i>Zithromax®</i> <i>Zmax®</i>
Antibiotics: Oxazolidinones	linezolid tablets CC, QL, MD	<i>linezolid suspension QL, MD</i> <i>Sivextro™ QL</i> <i>Zyvox® QL, MD</i>
Antibiotics: Penicillins	amoxicillin amoxicillin/clavulanate tablets, suspension ampicillin dicloxacillin penicillin V	<i>amoxicillin ER</i> <i>amoxicillin/clavulanate chewable tablets</i> <i>amoxicillin/clavulanate ER</i> <i>Augmentin®</i> <i>Augmentin XR®</i>
Antibiotics: Pleuromutilins	N/A	<i>Xenleta™ CC, QL</i>

VI. ANTI-INFECTIVES

Drug Class	Preferred Agents	Non-Preferred Agents
Antibiotics: Quinolones	ciprofloxacin tablets levofloxacin tablets	<i>Baxdela</i> ^{™ AE, QL} <i>ciprofloxacin ER</i> <i>ciprofloxacin suspension</i> <i>Cipro</i> [®] <i>Cipro XR</i> [®] <i>Levaquin</i> [®] <i>levofloxacin solution</i> <i>moxifloxacin</i> <i>Noroxin</i> [®] <i>ofloxacin</i>
Antibiotics: Sulfonamides, Folate Antagonist	trimethoprim trimethoprim/sulfamethoxazole	<i>Bactrim</i> [®] <i>Bactrim DS</i> [®] <i>sulfadiazine</i> <i>Sulfatrim</i> ^{® suspension}
Antibiotics: Tetracyclines	demeclocycline doxycycline hyclate doxycycline monohydrate 50 mg, 100 mg capsules doxycycline monohydrate suspension, tablets minocycline capsules	<i>Adoxa</i> [®] <i>Doryx</i> ^{® and Doryx} ^{® MPC} <i>doxycycline hyclate DR capsules, tablets</i> <i>doxycycline IR-DR</i> <i>doxycycline monohydrate 75, 150 mg capsules</i> <i>doxycycline “kits” or “packs”</i> <i>Minocin</i> [®] <i>minocycline tablets</i> <i>minocycline ER</i> <i>Morgidox</i> [®] <i>Nuzyra</i> ^{™ CC, QL} <i>Oracea</i> [™] <i>Solodyn</i> [®] <i>Targadox</i> [™] <i>tetracycline</i> <i>Vibramycin</i> [®] <i>Ximino</i> [™]
Antibiotics: Vaginal	Cleocin [®] Ovules Clindesse [®] Nuversa [®] Vandazole [®]	<i>Cleocin</i> ^{® cream} <i>clindamycin vaginal 2% cream</i> <i>MetroGel Vaginal</i> [®] <i>metronidazole vaginal 0.75% gel</i>

VI. ANTI-INFECTIVES

Drug Class	Preferred Agents	Non-Preferred Agents
Antifungals: Oral	clotrimazole fluconazole griseofulvin suspension itraconazole capsules ^{CC} nystatin suspension, tablets terbinafine	Ancobon® Cresemba® Diflucan® flucytosine griseofulvin microsize tablets griseofulvin ultramicrosize Gris-PEG® itraconazole solution ketoconazole Lamisil® Noxafil® nystatin powder Onmel™ Oravig™ posaconazole Sporanox® Tolsura Vfend® voriconazole
Antivirals: Herpes	acyclovir famciclovir valacyclovir	Sitavig® Valtrex®
Antivirals: Influenza	oseltamivir ^{QL}	Flumadine® Relenza® rimantadine Tamiflu® ^{QL} Xofluza™ ^{CC, QL}
Anti-Infectives: Hepatitis B	entecavir Epivir-HBV® solution lamivudine HBV	adefovir Baraclude™ Epivir-HBV® tablet Hepsera® Vemlidy® ^{CC, QL}
Hepatitis C: Direct-Acting Antiviral Agents	Mavyret™ ^{CC, QL} sofosbuvir/velpatasvir ^{CC, QL} Vosevi™ ^{CC, QL}	Eplusa® ^{CC, QL} Harvoni® ^{CC, QL} ledipasvir/sofosbuvir ^{CC, QL} Sovaldi™ ^{CC, QL} Viekira Pak® ^{CC, QL} Zepatier™ ^{CC, QL}
Hepatitis C: Interferons	PEGASYS® ProClick ^{CC, QL} PEGASYS® syringe ^{CC, QL}	PEGASYS® vial ^{CC, QL} PEGIntron™ ^{CC, QL}
Hepatitis C: Ribavirins	ribavirin ^{CC}	Moderiba™ ^{CC} ribavirin dosepack ^{CC}

VI. ANTI-INFECTIVES

Drug Class	Preferred Agents	Non-Preferred Agents
Antiretrovirals: HIV/AIDS	abacavir ^{QL} abacavir-lamivudine atazanvir ^{QL} Atripla ^{® QL} Biktarvy ^{® QL} Cimduo ^{™ QL} Complera ^{® QL} Delstrigo ^{™ QL} Descovy ^{® CC, QL} Dovato ^{QL} Edurant [®] efavirenz Emtriva [®] Evotaz ^{™ QL} Genvoya ^{® QL} Intelence [®] Isentress [®] Juluca ^{QL} Kaletra ^{® tablet} lamivudine ^{QL} lamivudine-zidovudine lopinavir-ritonavir solution Norvir ^{® solution QL} Norvir ^{® tablets} Odefsey ^{® QL} Pifeltro ^{™ QL} Prezcobix ^{® QL} Prezista [®] Selzentry [®] stavudine capsules ^{QL} stavudine solution Stribild ^{® QL} Symfi ^{™ QL} Symfi Lo ^{™ QL} Symtuza ^{™ QL} Temixys ^{™ QL} tenofovir disoproxil fumarate tablets ^{QL} Tivicay ^{® QL} Triumeq ^{® QL} Trizivir [®] Truvada ^{® CC, QL} Tybost [®] Videx ^{® EC QL} Viread ^{® powder packets} zidovudine syrup, tablets	abacavir-lamivudine-zidovudine Aptivus [®] Combivir [®] Crixivan [®] didanosine DR ^{QL} efavirenz/emtricitabine/tenofovir disoproxil fumarate emtricitabine emtricitabine/tenofovir disoproxil fumarate Epivir ^{® QL} Epzicom [®] fosamprenavir Fuzeon [®] Invirase [®] Kaletra ^{® solution} Lexiva [®] nevirapine ^{QL} nevirapine ER ^{QL} Norvir ^{® powder packets} Retrovir [®] Reyataz [®] ritonavir Sustiva [®] Videx ^{® solution} Viracept [®] Viramune ^{® QL} Viramune XR ^{® QL} Viread ^{® tablets QL} Zerit ^{® capsules QL} Ziagen ^{® QL} zidovudine capsules

VII. ENDOCRINE AND METABOLIC AGENTS

Drug Class	Preferred Agents	Non-Preferred Agents
Diabetes: Insulins and Related Agents	Humalog [®] cartridge and Humalog [®] vial Humalog [®] 100 unit/mL KwikPen [®] Humalog [®] Junior (Jr) KwikPen [®] Humalog [®] Mix and Humalog [®] Mix KwikPen [®] Humulin [®] N and Humulin [®] N KwikPen [®] Humulin [®] R vial Humulin [®] R U-500 and Humulin [®] R U-500 KwikPen [®] Humulin [®] 70/30 and Humulin [®] 70/30 KwikPen [®] Lantus [®] and Lantus [®] Solostar Levemir [®] and Levemir [®] FlexTouch [®] Novolog [®] and Novolog [®] FlexTouch [®] Novolog [®] PenFill [®] Novolog [®] Mix and Novolog Mix FlexPen [®]	Admelog [®] and Admelog Solostar [®] ^{CC} Afrezza [®] Apidra [™] and Apidra [™] Solostar [®] Basaglar [®] KwikPen [®] ^{CC} Fiasp [®] and Fiasp [®] FlexTouch [®] Humalog [®] 200 unit/mL KwikPen [®] insulin aspart insulin aspart/insulin aspart protamine insulin lispro insulin lispro/insulin lispro protamine Lyumjev [™] (all formulations) Novolin [®] vial Novolin [®] 70/30 vial Semglee [™] pen and vial Symlin [®] ^{CC} Toujeo [®] Solostar [®] and Toujeo [®] Max Solostar [®] Tresiba [®] FlexTouch [®]
Diabetes: DPP-4 Inhibitors	Glyxambi [®] ^{ST, QL} Janumet [™] ^{ST, QL} Janumet XR [™] ^{ST, QL} Januvia [™] ^{ST, QL} Jentadueto [™] ^{ST, QL} Tradjenta [™] ^{ST, QL}	alogliptin ^{QL} alogliptin/metformin ^{QL} alogliptin/pioglitazone ^{QL} Jentadueto [®] XR ^{QL} Kazano [®] ^{QL} Kombiglyze [™] XR ^{QL} Nesina [®] ^{QL} Onglyza [™] ^{QL} Oseni [®] ^{QL} Qtern [®] ^{QL} Steglujan [™] ^{QL} Trijardy [®] XR ^{QL}
Diabetes: GLP-1 Receptor Agonists	Byetta [™] ^{ST, QL} Bydureon [®] and Bydureon [®] Pen ^{ST, QL} Trulicity [™] ^{ST, QL} Victoza [®] ^{ST, QL}	Adlyxin [™] ^{QL} Bydureon [®] BCise [™] Ozempic [®] ^{QL} Rybelsus [®] ^{QL} Soliqua [™] ^{CC, QL} Xultophy [®] ^{CC, QL}
Diabetes: Alpha-Glucosidase Inhibitors	acarbose ^{QL} Glyset [®] ^{QL}	miglitol ^{QL}
Diabetes: Metformins	glyburide/metformin metformin tablets metformin ER tablets (generic Glucophage XR [®])	Fortamet [™] glipizide/metformin Glucovance [®] Glumetza [™] metformin ER (generic Fortamet [™] , Glumetza [®]) Riomet [™] Riomet ER [™]
Diabetes: Meglitinides	nateglinide ^{QL} repaglinide ^{QL}	Prandin [®] ^{QL} repaglinide/metformin ^{QL} Starlix [®] ^{QL}

AE = Age Edits CC = Clinical Criteria MD = Medications with Maximum Duration QL = Quantity Limits ST = Step Therapy

VII. ENDOCRINE AND METABOLIC AGENTS

Drug Class	Preferred Agents	Non-Preferred Agents
Diabetes: Sulfonylureas	glimepiride glipizide glipizide extended-release glyburide glyburide micronized	Amaryl® chlorpropamide Glucotrol® Glucotrol XL® Glynase PresTab® tolazamide tolbutamide
Diabetes: Thiazolidinediones	pioglitazone ^{QL}	Actos® ^{QL} ActoPlus Met® ^{QL} ActoPlus Met® XR ^{QL} Avandia® ^{QL} DuetAct™ ^{QL} pioglitazone/glimepiride ^{QL} pioglitazone/metformin ^{QL}
Diabetes: SGLT2 Inhibitors	Farxiga™ ^{ST, QL} Invokana® ^{ST, QL} Jardiance® ^{ST, QL} Synjardy® ^{ST, QL}	Invokamet™ ^{QL} Invokamet® XR ^{QL} Segluromet™ ^{QL} Steglatro™ ^{QL} Synjardy® XR ^{QL} Xigduo™ XR ^{QL}
Glucagon Agents	Baqsimi™ ^{CC} glucagon, recombinant Proglycem®	diazoxide glucagon HCl Gvoke™
Growth Hormones	Genotropin® ^{CC} Norditropin® ^{CC} Norditropin Flexpro® ^{CC}	Humatrope® ^{CC} Nutropin AQ NuSpin® ^{CC} Omnitrope® ^{CC} Saizen® ^{CC} Serostim® ^{CC} Zomacton® ^{CC} Zorbtive® ^{CC}

VII. ENDOCRINE AND METABOLIC AGENTS

Drug Class	Preferred Agents	Non-Preferred Agents
Bone Resorption Suppression and Related Agents	alendronate tablets ^{QL} ibandronate tablets ^{QL} raloxifene	<i>Actonel</i> ® ^{QL} <i>alendronate solution</i> ^{QL} <i>Atelvia</i> ™ ^{QL} <i>Binosto</i> ® ^{QL} <i>Boniva</i> ® ^{QL} <i>calcitonin-salmon</i> <i>etidronate</i> <i>Evenity</i> ™ ^{CC, QL} <i>Evista</i> ® <i>Forteo</i> ™ ^{QL} <i>Fosamax</i> ® ^{QL} <i>Fosamax Plus D</i> ™ ^{QL} <i>Miacalcin</i> ® <i>Prolia</i> ™ <i>Reclast</i> ® ^{QL} <i>risedronate</i> ^{QL} <i>teriperatide</i> ^{QL} <i>Tymlos</i> ™ ^{CC} <i>zoledronic acid</i> ^{QL}
Progestins for Cachexia	megestrol acetate 40 mg/mL, tablets	<i>Megace ES</i> ® <i>megestrol acetate 625 mg/5 mL</i>
Pancreatic Enzymes	Creon® Zenpep®	<i>Pancreaze</i> ™ <i>Pertzye</i> ™ <i>Viokace</i> ™
Androgenic Agents	Androderm® testosterone gel pump (generic Androgel®)	<i>Androgel</i> ® <i>Axiron</i> ® <i>Fortesta</i> ® <i>Natesto</i> ™ <i>Testim</i> ® <i>testosterone gel packet (generic Androgel®)</i> <i>testosterone gel (generic Axiron®, Fortesta®, Testim®, Vogelxo®)</i> <i>Vogelxo</i> ®

VII. ENDOCRINE AND METABOLIC AGENTS

Drug Class	Preferred Agents	Non-Preferred Agents
Oral Steroids	budesonide EC dexamethasone solution, tablets hydrocortisone methylprednisolone dose pack, tablets prednisolone solution prednisolone sodium phosphate prednisone dose pack, tablets, solution	Alkindi® Sprinkle Celestone® Cortef® cortisone Decadron® dexamethasone elixir dexamethasone intensol DexPak® Dxevo Emflaza® CC, QL Entocort EC® Hemady® Medrol® methylprednisolone 8 mg, 16 mg tablets Millipred® Ortikos™ prednisone intensol prednisolone sodium phosphate ODT Rayos® TaperDex™ Veripred 20® ZoDex™

VIII. IMMUNOLOGIC AGENTS

Drug Class	Preferred Agents	Non-Preferred Agents
Immunomodulators	Cosentyx® CC, QL Enbrel® CC QL Humira® CC, QL	Actemra® CC, QL Cimzia® CC, QL Ilumya™ CC, QL Kevzara® CC, QL Kineret® CC, QL Olumiant® CC, QL Orencia® CC, QL Otezla® CC, QL Rinvoq™ CC, QL Siliq™ CC, QL Simponi™ CC, QL Skyrizi™ CC, QL Stelara™ CC, QL Taltz® CC, QL Tremfya™ CC, QL Xeljanz® CC, QL Xeljanz® XR CC, QL
Immunomodulators, Atopic Dermatitis	Elidel® Eucrisa® CC, QL	Dupixent® CC, QL pimecrolimus Protopic® tacrolimus

VIII. IMMUNOLOGIC AGENTS

Drug Class	Preferred Agents	Non-Preferred Agents
Multiple Sclerosis Agents	Avonex [®] CC, QL Betaseron [®] CC, QL Copaxone [®] 20 mg CC, QL Gilenya [™] CC, QL Rebif [®] CC, QL Tecfidera [™] CC, QL	Ampyra [™] QL Aubagio [®] QL Bafiertam [™] QL Copaxone [®] 40 mg QL dalfampredine ER QL dimethyl fumarate QL Extavia [®] QL glatiramer acetate QL Glatopa [™] QL Mavenclad [®] CC, QL Mayzent [®] CC, QL Plegridy [®] Vumerity [™] QL Zeposia [®] CC, QL
Immunosuppressants	azathioprine CellCept [®] suspension cyclosporine cyclosporine modified Gengraf [®] mycophenolate mofetil capsules, tablets mycophenolic acid sirolimus tacrolimus	Astagraf XL [™] Azasan [®] CellCept [®] capsules, tablets Envarsus [®] XR everolimus Imuran [®] mycophenolate mofetil suspension Myfortic [®] Neoral [®] Prograf [®] Rapamune [®] Sandimmune [®] Zortress [®]

IX. BLOOD MODIFIERS

Drug Class	Preferred Agents	Non-Preferred Agents
Erythropoiesis Stimulating Proteins	Aranesp [®] CC Epogen [®] CC Retacrit [™] CC	Mircera [®] Procrit [®] Reblozyl [®] CC
Thrombopoiesis Stimulating Agents	Promacta [®] tablets CC	Doptelet [®] CC, QL Mulpleta [®] CC, QL Nplate [™] CC Promacta [®] suspension packets CC Tavalisse [™] CC, QL
Antihyperuricemics	allopurinol colchicine tablets CC probenecid probenecid/colchicine	colchicine capsules CC Colcrys [®] CC febuxostat QL Gloperba [®] Mitigare [®] CC Uloric [®] CC, QL Zyloprim [®]

AE = Age Edits CC = Clinical Criteria MD = Medications with Maximum Duration QL = Quantity Limits ST = Step Therapy

IX. BLOOD MODIFIERS

Drug Class	Preferred Agents	Non-Preferred Agents
Colony Stimulating Factors	Neupogen® CC, QL	Granix® QL Fulphila™ QL Leukine® QL Neulasta® QL Nivestym™ QL Udenyca™ QL Zarxio® QL Ziextenzo® QL
Phosphate Binders	calcium acetate MagneBind® 400 RX Phoslyra™ sevelamer carbonate tablets	Auryxia™ Eliphos™ Fosrenol® lanthanum carbonate PhosLo® sevelamer carbonate powder packets sevelamer hydrochloride Renagel® Renvela™ Velphoro®

X. OPHTHALMICS

Drug Class	Preferred Agents	Non-Preferred Agents
Ophthalmic Antivirals	trifluridine	Viroptic® Vitrasert® intraocular implant Zirgan®
Ophthalmic Quinolones	ciprofloxacin ofloxacin moxifloxacin (generic Vigamox™)	Besivance™ Ciloxan® gatifloxacin levofloxacin Moxeza™ moxifloxacin (generic Moxeza™) Ocuflox® Quixin® Vigamox™ Zymaxid™
Ophthalmic Antibiotics, Non-Quinolones	bacitracin bacitracin/polymyxin B erythromycin 0.5% ointment gentamicin solution/ointment polymyxin B/trimethoprim sulfacetamide solution tobramycin solution	AzaSite™ Bleph®-10 Garamycin® Ilotycin® Natacyn® Neocidin® neomycin/polymyxin B/bacitracin neomycin/polymyxin B/gramicidin Neosporin® Polytrim® sulfacetamide ointment Tobrex®

AE = Age Edits CC = Clinical Criteria MD = Medications with Maximum Duration QL = Quantity Limits ST = Step Therapy

X. OPHTHALMICS

Drug Class	Preferred Agents	Non-Preferred Agents
Ophthalmic Antibiotic-Steroid Combinations	Blephamide® dexamethasone/neomycin sulfate/polymyxin B hydrocortisone/bacitracin zinc/neomycin sulfate/polymyxin B Tobradex®	<i>Blephamide® S.O.P.</i> <i>dexamethasone/tobramycin</i> <i>hydrocortisone/neomycin sulfate/polymyxin B</i> <i>Maxitrol®</i> <i>Pred-G®</i> <i>Pred-G® S.O.P.</i> <i>prednisolone sodium phosphate/sulfacetamide sodium</i> <i>Tobradex® ST</i> <i>Zylet™</i>
Ophthalmic Antihistamines	ketotifen olopatadine 0.1% (generic Patanol®) olopatadine 0.2% (generic Pataday™)	<i>azelastine</i> <i>Bepreve™</i> <i>Elestat™</i> <i>epinastine</i> <i>Lastacaft™</i> <i>Optivar®</i> <i>Pataday™</i> <i>Patanol®</i> <i>Pazeo™</i> <i>Zerviate™</i>
Ophthalmic Beta Blockers	levobunolol timolol maleate (except preservative-free)	<i>Betagan®</i> <i>betaxolol</i> <i>Betimol®</i> <i>Betoptic S®</i> <i>carteolol</i> <i>Istalol®</i> <i>metipranolol</i> <i>Optipranolol®</i> <i>timolol maleate once daily (generic Istalol®)</i> <i>timolol PF (preservative-free)</i> <i>Timoptic®</i> <i>Timoptic XE®</i>
Ophthalmic Carbonic Anhydrase Inhibitors	dorzolamide	<i>Azopt®</i> <i>Trusopt®</i>
Ophthalmic Combinations for Glaucoma	Combigan™ dorzolamide/timolol (except preservative-free) Simbrinza™	<i>Cosopt®</i> <i>Cosopt PF®</i> <i>dorzolamide/timolol PF (preservative-free)</i>
Ophthalmic Vasoconstrictors	naphazoline phenylephrine	<i>Altafrin®</i> <i>Mydrin®</i> <i>Neofrin®</i>
Ophthalmic Mast Cell Stabilizers	cromolyn sodium	<i>Alocril®</i> <i>Alomide®</i>

X. OPTHALMICS

Drug Class	Preferred Agents	Non-Preferred Agents
Ophthalmic Mydriatics & Mydriatic Combinations	atropine sulfate cyclopentolate tropicamide	<i>Cyclogyl</i> [®] <i>Cyclomydril</i> [®] <i>Homatropaire</i> [®] <i>homatropine</i> <i>Isopto Atropine</i> [®] <i>Isopto Homatropine</i> [®] <i>Isopto Hyoscine</i> [®] <i>Mydriacyl</i> [®] <i>Paremyd</i> [®]
Ophthalmic NSAIDs	diclofenac flurbiprofen ketorolac	<i>Acular</i> [®] <i>Acular LS</i> [®] <i>Acuvail</i> [®] <i>bromfenac</i> <i>BromSite</i> [™] <i>Ilevro</i> [™] <i>Nevanac</i> [™] <i>Ocufen</i> [®] <i>Prolensa</i> [™] <i>Voltaren</i> [®]
Ophthalmic Prostaglandin Agonists	latanoprost ^{QL}	<i>bimatoprost</i> ^{QL} <i>Lumigan</i> ^{® QL} <i>Rescula</i> ^{® QL} <i>Travatan Z</i> [®] <i>travoprost</i> <i>Vyzulta</i> ^{™ CC, QL} <i>Xalatan</i> ^{® QL} <i>Xelpros</i> [™] <i>Zioptan</i> ^{® QL}
Ophthalmic Anti-Inflammatory Steroids	dexamethasone sodium phosphate Durezol [™] fluorometholone prednisolone acetate prednisolone sodium phosphate	<i>Alrex</i> [®] <i>Flarex</i> [®] <i>FML</i> [®] <i>FML Forte</i> [®] <i>FML S.O.P.</i> [®] <i>Inveltys</i> [™] <i>Lotemax</i> [™] <i>loteprednol</i> <i>Maxidex</i> [®] <i>Omnipred</i> [™] <i>Ozurdex</i> [™] <i>Pred Forte</i> [®] <i>Pred Mild</i> [®] <i>Retisert</i> [™] <i>Triesence</i> [®] <i>Vexol</i> [®]
Ophthalmic Sympathomimetics	Alphagan P [®] 0.15% brimonidine 0.2%	<i>Alphagan P</i> [®] 0.1% <i>apraclonidine</i> <i>brimonidine 0.15%</i>

AE = Age Edits CC = Clinical Criteria MD = Medications with Maximum Duration QL = Quantity Limits ST = Step Therapy

X. OPHTHALMICS

Drug Class	Preferred Agents	Non-Preferred Agents
Ophthalmic Immunomodulators	Restasis [®] ST Xiidra [™] ST, QL	Cequa [™] Eysuvis [™]
Ophthalmics, Glaucoma Agents (Other)	Rhopressa [®] ST, QL Rocklatan [™] ST, QL	Isopto Carpine [®] pilocarpine Pilopine HS [®] 4%

XI. OTICS

Drug Class	Preferred Agents	Non-Preferred Agents
Otic Antibiotics	CiproDex [®] Otic hydrocortisone/neomycin/polymyxin B ofloxacin 0.3% solution	ciprofloxacin 0.2% Cipro HC [®] Otic ciprofloxacin/dexamethasone ciprofloxacin/fluocinolone Otovel [™]
Otic Anesthetics and Anti-Inflammatories	acetic acid	acetic acid/hydrocortisone Dermotic [®] fluocinolone acetonide 0.01% oil

XII. RENAL AND GENITOURINARY

Drug Class	Preferred Agents	Non-Preferred Agents
Alpha Blockers for BPH	alfuzosin ER doxazosin tamsulosin terazosin	Cardura [®] Cardura XL [®] Flomax [®] Rapaflo [™] silodosin
5-Alpha Reductase (5AR) Inhibitors	finasteride ^{CC} dutasteride	Avodart [®] dutasteride/tamsulosin Jalyn [®] Proscar [®]
Bladder Relaxants	oxybutynin ^{QL} oxybutynin ER ^{QL} solifenacin ^{QL} Toviaz [™] QL	darifenacin ER ^{QL} Detrol [®] QL Detrol [®] LA ^{QL} Ditropan [®] XL ^{QL} Enablex [®] QL flavoxate ^{QL} Gelnique [™] CC, QL Myrbetriq [™] QL Oxytrol [®] QL tolterodine ^{QL} tolterodine ER ^{QL} trospium ^{QL} trospium ER ^{QL} Vesicare [®] QL

XIII. DERMATOLOGICS

Drug Class	Preferred Agents	Non-Preferred Agents
Topical Antiviral Agents	acyclovir ointment Zovirax® cream	<i>acyclovir cream</i> <i>Denavir®</i> <i>Xerese™</i> <i>Zovirax® ointment</i>
Topical Antibiotic Agents	gentamicin mupirocin ointment	<i>Centany®</i> <i>mupirocin cream</i> <i>Xepi™ CC, QL</i>
Topical Antiparasitic Agents	Natroba® permethrin 5% cream	<i>Crotan™</i> <i>Elimite™</i> <i>Eurax®</i> <i>ivermectin lotion</i> <i>lindane</i> <i>malathion</i> <i>Ovide®</i> <i>Sklice®</i> <i>spinosad</i> <i>Ulesfia®</i>

XIII. DERMATOLOGICS

Drug Class	Preferred Agents	Non-Preferred Agents
Topical Acne Agents	adapalene gel (except pump) clindamycin gel, medicated swab (pledget), solution clindamycin/benzoyl peroxide (generic BenzaClin® or Duac®; excluding pumps) erythromycin solution erythromycin/benzoyl peroxide Retin-A® cream, gel	Acanya™ Aczone™ adapalene cream, gel pump, solution, swab adapalene/benzoyl peroxide Akliel® Altreno™ Amzeeq™ Arazlo™ Atralin™ Avar™, Avar E™, Avar E LS™, Avar LS™ Avita® BenzaClin® Benzamycin® BenzePro™ benzoyl peroxide cleanser, kit, microspheres, gel, foam, medicated pad, towlette BP 10-1® BPO®, BPO-5®, BPO-10® BP Wash™ Brevoxyl® Cleocin-T® Clindacin PAC™ Clindagel® clindamycin foam, lotion clindamycin/benzoyl peroxide gel pump clindamycin/tretinoin dapsone gel DermaPak Plus Kit Differin® Duac® Effaclar Duo® Epiduo™, Epiduo Forte™ Erygel® erythromycin gel, medicated swab Fabior® Inova™, Inova™ 4-1, Inova™ 8-2 Klaron® Neuac® Pacnex® Panoxyl® Persa-Gel® Plixda™ PR benzoyl peroxide OC8® Onexton™ Ovace®/Ovace Plus® Retin-A Micro®

XIII. DERMATOLOGICS

Drug Class	Preferred Agents	Non-Preferred Agents
Topical Acne Agents (continued)	(see previous page)	Rosula® sodium sulfacetamide 10% CLNSG sodium sulfacetamide/sulfur 10-4% pad sodium sulfacetamide/sulfur cleanser sodium sulfacetamide/sulfur/urea SSS 10-5® sulfacetamide cleanser sulfacetamide/urea Sumadan™, Sumadan™ XLT Sumaxin® Tazorac® tazarotene Tretin-X™ tretinoin tretinoin microsphere Vanoxide-HC® Ziana™
Oral Acne Agents	Amnesteem® isotretinoin	Absorica™ Absorica LD™
Topical Rosacea Agents	MetroCream® MetroGel®	azelaic acid Azelex® Finacea® ivermectin 1% cream metronidazole cream, gel, lotion Mirvaso® Noritate® Rhofade® CC, QL Rosadan® Kit Soolantra® Xilxi™

XIII. DERMATOLOGICS

Drug Class	Preferred Agents	Non-Preferred Agents
Topical Antifungal Agents	clotrimazole cream, solution clotrimazole/betamethasone cream ketoconazole cream, shampoo nystatin cream, ointment, powder nystatin/triamcinolone cream, ointment	<i>Ciclodan® cream, kit, solution</i> <i>ciclopirox</i> <i>clotrimazole/betamethasone lotion</i> <i>econazole</i> <i>Ertazco®</i> <i>Exelderm®</i> <i>Extina®</i> <i>Jublia® CC</i> <i>Kerydin™ CC</i> <i>ketoconazole foam</i> <i>Ketodan™</i> <i>Loprox®</i> <i>Lotrimin®</i> <i>Lotrisone®</i> <i>luliconazole</i> <i>Luzu®</i> <i>Mentax®</i> <i>miconazole/zinc oxide/petrolatum</i> <i>naftifine</i> <i>Naftin®</i> <i>Nyamyc®</i> <i>Nystop®</i> <i>Oxistat®</i> <i>oxiconazole</i> <i>Penlac®</i> <i>tavaborole</i> <i>Vusion® CC</i>
Topical Steroids	alclometasone dipropionate betamethasone dipropionate cream, lotion betamethasone dipropionate (augmented) cream betamethasone valerate cream, ointment clobetasol propionate cream, gel, ointment, shampoo, solution Derma-Smoothe/FS® desonide cream, ointment fluocinonide solution fluticasone propionate cream, ointment halobetasol propionate cream, ointment hydrocortisone cream, gel, lotion, ointment hydrocortisone valerate cream mometasone furoate cream, ointment, solution triamcinolone acetonide cream, lotion, ointment	<i>amcinonide</i> <i>ApexiCon®/ApexiCon E®</i> <i>Aqua Glycolic®/Aqua Glycolic HC®</i> <i>Balneol®</i> <i>Beser™</i> <i>betamethasone dipropionate ointment</i> <i>betamethasone dipropionate augmented ointment</i> <i>betamethasone valerate foam, lotion</i> <i>Bryhali™</i> <i>Capex® Shampoo</i> <i>clobetasol emollient</i> <i>clobetasol propionate foam, lotion, spray</i> <i>Clobex®</i> <i>clocortolone</i> <i>Clodan®</i> <i>Cloderm®</i> <i>Cordran® Tape</i> <i>Cutivate®</i> <i>Dermatop®</i> <i>Desonate®</i> <i>desonide gel, lotion</i>

AE = Age Edits CC = Clinical Criteria MD = Medications with Maximum Duration QL = Quantity Limits ST = Step Therapy

XIII. DERMATOLOGICS

Drug Class	Preferred Agents	Non-Preferred Agents
		desoximetasone diflorasone diacetate Diprolene® Diprolene AF® fluocinolone acetonide oil fluocinolone acetonide fluocinonide emollient fluocinonide cream, gel, ointment flurandrenolide fluticasone propionate lotion halcinonide cream halobetasol propionate foam Halog® hydrocortisone-aloe hydrocortisone butyrate hydrocortisone butyrate/emollient hydrocortisone valerate hydrocortisone-urea Impeklo™ Kenalog® Lexette Locoid® Locoid Lipocream® Luxiq® Micort-HC® Olux®/Olux-E® Pandel® prednicarbate Psorcon® Sernivo™ Silazone-II™ Synalar®, Synalar® TS Temovate® Texacort® Topicort® Tovet™ triamcinolone acetonide spray Trianex® Ultravate, Ultravate® X Vanos™

XIII. DERMATOLOGICS

Drug Class	Preferred Agents	Non-Preferred Agents
Topical Psoriasis Agents	calcipotriene cream, ointment, solution	<i>calcipotriene foam</i> <i>calcipotriene/betamethasone</i> <i>Calcitrene™</i> <i>calcitriol ointment</i> <i>Dovonex®</i> <i>Duobrii™</i> <i>Enstilar® MD</i> <i>Sorilux™</i> <i>Taclonex® ointment, suspension</i> <i>Taclonex® Scalp</i> <i>Vectical™</i>
Oral Psoriasis Agents	acitretin	<i>methoxsalen</i> <i>Oxsoralen-Ultra®</i> <i>Soriatane®</i>