



# MEDICARE FORM

## Immune Globulin (IG) Therapy Medication and/or Infusion Precertification Request

Page 1 of 3

(All fields must be completed and legible for precertification review.)

For Michigan MMP:  
FAX: 1-844-241-2495  
PHONE: 1-855-676-5772 (TTY: 711)

For other lines of business:  
Please use other form.

Note: Asceniv, Bivigam, Cutaquig, Cuvitru, Flebogamma, Gammagard, Gammalex, Hyqvia, and Panzyga are non-preferred. The preferred products are Gammaked, Gamunex-C, Hizentra, Octagam, Privigen and Xembify.

Please indicate:  Start of treatment: Start date \_\_\_\_ / \_\_\_\_ / \_\_\_\_  
 Continuation of therapy: Date of last treatment \_\_\_\_ / \_\_\_\_ / \_\_\_\_

Precertification Requested By: \_\_\_\_\_ Phone: \_\_\_\_\_ Fax: \_\_\_\_\_

### A. PATIENT INFORMATION

First Name:		Last Name:		DOB:	
Address:			City:		State: ZIP:
Home Phone:		Work Phone:		Cell Phone: Email:	
Current Weight: ____ lbs or ____ kgs			Height: ____ inches or ____ cms		Allergies:

### B. INSURANCE INFORMATION

Aetna Member ID #: _____		Does patient have other coverage? <input type="checkbox"/> Yes <input type="checkbox"/> No	
Group #: _____		If yes, provide ID#: _____ Carrier Name: _____	
Insured: _____		Insured: _____	
Medicare: <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, provide ID #:		Medicaid: <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, provide ID #:	

### C. PRESCRIBER INFORMATION

First Name:		Last Name:		(Check One): <input type="checkbox"/> M.D. <input type="checkbox"/> D.O. <input type="checkbox"/> N.P. <input type="checkbox"/> P.A.	
Address:			City:		State: ZIP:
Phone:		Fax:		St Lic #: NPI #: DEA #: UPIN:	
Provider Email:			Office Contact Name:		Phone:

### D. DISPENSING PROVIDER/ADMINISTRATION INFORMATION

<b>Place of Administration:</b> <input type="checkbox"/> Self-administered <input type="checkbox"/> Physician's Office <input type="checkbox"/> Home <input type="checkbox"/> Outpatient Infusion Center Phone: _____ Center Name: _____ <input type="checkbox"/> Home Infusion Center Phone: _____ Agency Name: _____ <input type="checkbox"/> Administration code(s) (CPT): _____ Address: _____		<b>Dispensing Provider/Pharmacy:</b> <input type="checkbox"/> Physician's Office <input type="checkbox"/> Retail Pharmacy <input type="checkbox"/> Specialty Pharmacy <input type="checkbox"/> Mail Order <input type="checkbox"/> Other: _____ Name: _____ Address: _____ Phone: _____ Fax: _____ TIN: _____ PIN: _____	
---	--	--	--

### E. PRODUCT INFORMATION

Request is for:  Asceniv  Bivigam  Cutaquig  Cuvitru  Flebogamma  Gamastan S/D  Gammaked  
 Gammagard  Gammalex  Gamunex-C  Hizentra  HyQvia  Octagam  Panzyga  Privigen  Xembify

Dose: \_\_\_\_\_ Frequency: \_\_\_\_\_ HCPCS Code: \_\_\_\_\_  IV  IM  SC

### F. DIAGNOSIS INFORMATION – Please indicate primary ICD Code and specify any other where applicable.

Primary ICD Code: \_\_\_\_\_ Secondary ICD Code: \_\_\_\_\_ Other ICD Code: \_\_\_\_\_

### G. CLINICAL INFORMATION – Required clinical information must be completed in its entirety for all precertification requests.

**Please provide the current immunoglobulin levels:**

Immunoglobulin A (IgA) level and date obtained: \_\_\_\_\_ Date: \_\_\_\_ / \_\_\_\_ / \_\_\_\_

Immunoglobulin G (IgG) level and date obtained: \_\_\_\_\_ Date: \_\_\_\_ / \_\_\_\_ / \_\_\_\_

Immunoglobulin M (IgM) level and date obtained: \_\_\_\_\_ Date: \_\_\_\_ / \_\_\_\_ / \_\_\_\_

**For All Requests: (Clinical documentation required for all requests)**

Note: Asceniv, Bivigam, Cutaquig, Cuvitru, Flebogamma, Gammagard, Gammalex, Hyqvia and Panzyga, are non-preferred. The preferred products are Gammaked, Gamunex-C, Hizentra, Octagam, Privigen and Xembify.

Yes  No Has the patient had prior therapy with the requested immune globulin product within the last 365 days?

Yes  No Has the patient had a trial and failure, intolerance, or contraindication to Gammaked, Gamunex-C, Hizentra, Octagam, Privigen or Xembify?

Please explain if there are any other medical reason(s) that the patient cannot use Gammaked, Gamunex-C, Hizentra, Octagam, Privigen or Xembify.

\_\_\_\_\_

Yes  No Is the patient changing to a different immunoglobulin product?

Yes  No Does the patient have immunoglobulin A (IgA) deficiency with anti-IgA antibodies?

Continued on next page



# MEDICARE FORM

## Immune Globulin (IG) Therapy Medication and/or Infusion Precertification Request

Page 2 of 3

(All fields must be completed and legible for precertification review.)

For Michigan MMP:

FAX: 1-844-241-2495

PHONE: 1-855-676-5772 (TTY: 711)

For other lines of business:  
Please use other form.

**Note: Asceniv, Bivigam, Cutaquig, Cuvitru, Flebogamma, Gammagard, Gammalex, Hyqvia, and Panzyga are non-preferred. The preferred products are Gammaked, Gamunex-C, Hizentra, Octagam, Privigen and Xembify.**

Patient First Name	Patient Last Name	Patient Phone	Patient DOB
--------------------	-------------------	---------------	-------------

**G. CLINICAL INFORMATION (continued)** – Required clinical information must be completed in its entirety for all precertification requests.

**For All requests continued:** Please indicate which of the following applies to the patient and answer subsequent questions

Acquired red cell aplasia

Acute disseminated encephalomyelitis

Autoimmune mucocutaneous blistering diseases

Please select which applies to the patient:

<input type="checkbox"/> Bullous pemphigoid	<input type="checkbox"/> Epidermolysis bullosa acquisita	<input type="checkbox"/> Gestational Pemphigoid
<input type="checkbox"/> Linear IgA disease	<input type="checkbox"/> Mucous membrane pemphigoid (cicatrical pemphigoid)	
<input type="checkbox"/> Pemphigus vulgaris	<input type="checkbox"/> Pemphigus foliaceus	<input type="checkbox"/> None of the above

Yes  No Has patient failed conventional therapy?

Yes  No Does the patient have contraindications to conventional therapy?

Yes  No Does the patient have rapidly progressive disease in which a clinical response could not be affected quickly enough using conventional agents?

Autoimmune hemolytic anemia (refractory)

Autoimmune neutropenia (refractory)

B-cell chronic lymphocytic leukemia (CLL)

Yes  No Does the patient have hypogammaglobulinemia associated with CLL?

Yes  No Does the patient have recurrent infections or specific antibody deficiency?

Birdshot (vitiligenous) retinochoroidopathy

BK virus associated nephropathy

Chronic inflammatory demyelinating polyneuropathy (CIDP)

Yes  No Has the patient responded to previous intravenous immune globulin (IVIG) therapy?

Churg-Strauss Syndrome (CSS) (allergic granulomatosis)

Yes  No Will IVIG be used as adjunctive therapy for persons with severe active illness?

Yes  No Have other interventions been unsuccessful, become intolerable, or are contraindicated?

Please select which applies:  Unsuccessful  Intolerable  Contraindicated

Dermatomyositis

Yes  No Will this be used as adjunctive therapy for persons who have had an inadequate response to first and second line therapies?

Enteroviral meningoencephalitis

Guillain-Barre Syndrome (GBS) and GBS variants

Yes  No Has the patient been diagnosed during the first 2 weeks of illness?

Yes  No Does the patient require aid to walk? (must be severely affected)

Yes  No Does the patient have any contraindications to IVIG?

Hematophagocytic lymphohistiocytosis (HLH) or macrophage activation syndrome (MAS)

Yes  No Does the patient have hypogammaglobulinemia?

Please indicate the IgG level:  Less than 400mg/dL  400mg/dl or greater

Yes  No Is the IgG level two standard deviations below the mean for age?

Hemolytic disease of newborn

Yes  No Is this request to decrease the need for exchange transfusion?

HIV infected children

Yes  No Is this request for bacterial control or prevention of infection?

HIV- associated thrombocytopenia (pediatric or adult)

Hyperimmunoglobulinemia E Syndrome

Yes  No Is this request for treatment of severe eczema?

Immune or Idiopathic thrombocytopenic purpura (ITP)

Yes  No Is a rapid rise in platelet required (such as prior to surgery, to control excessive bleeding, or to defer or avoid splenectomy)?

Please provide current platelet count and date collected: \_\_\_\_\_ Date: \_\_\_\_/\_\_\_\_/\_\_\_\_

Kawasaki Disease

Lambert-Eaton myasthenic syndrome

Moersch-Woltmann (Stiff-man) syndrome (unresponsive to other therapies)

Multifocal motor neuropathy

Yes  No Does the patient have progressive, symptomatic multifocal motor neuropathy?

Yes  No Was the diagnosis based on electrophysiologic findings that rule out other possible conditions that may not respond to this treatment?

Multiple Myeloma  Myasthenia Gravis  Neonatal Alloimmune Thrombocytopenia (NAIT) (also known as Fetal Alloimmune Thrombocytopenia or FAIT)

Neonatal Hemochromatosis (prophylaxis)  Opsoclonus-myooclonus  Paraneoplastic opsoclonus-myooclonus-ataxia associated with neuroblastoma

Parvovirus B19 infection (chronic with severe anemia)  Polymyositis in persons who are resistant to first and second line therapies

Post-transfusion purpura  Preparation for thymoma surgery (to prevent myasthenia exacerbation)  Primary humoral immunodeficiency diseases:

Continued on next page



# MEDICARE FORM

## Immune Globulin (IG) Therapy Medication and/or Infusion Precertification Request

Page 3 of 3

(All fields must be completed and legible for precertification review.)

For Michigan MMP:

FAX: 1-844-241-2495

PHONE: 1-855-676-5772 (TTY: 711)

For other lines of business:

Please use other form.

Note: Asceniv, Bivigam, Cutaquig, Cuvitru, Flebogamma, Gammagard, Gammalex, Hyqvia, and Panzyga are non-preferred. The preferred products are Gammaked, Gamunex-C, Hizentra, Octagam, Privigen and Xembify.

Patient First Name	Patient Last Name	Patient Phone	Patient DOB
--------------------	-------------------	---------------	-------------

### G. CLINICAL INFORMATION (continued) – Required clinical information must be completed in its entirety for all precertification requests.

**Please indicate which of the following applies to the patient:**

Congenital agammaglobulinemia (X-linked agammaglobulinemia)     Common variable immunodeficiency     Hyper IgM syndromes

X-linked immunodeficiency with hyperimmunoglobulin M     Hypogammaglobulinemia     Wiscott- Aldrich Syndrome

Immunodeficiency with thymoma (Good Syndrome)     Severe combined immunodeficiency     None of the Above

Rasmussen encephalitis (Rasmussen’s Syndrome)

Relapsing-remitting multiple sclerosis (MS)

Yes     No    Have standard approaches (i.e., interferons) failed, become intolerable, or contraindicated?

    Please select:  Standard approaches have failed     Standard approaches have become intolerable     Standard approaches are contraindicated

Renal transplantation from live donor with ABO incompatibility or positive cross-match

Yes     No    Is a suitable non-reactive live or cadaveric donor unavailable (preparative regimen)?

Secondary immunosuppression associated with major surgery (such as cardiac transplants) and certain diseases (extensive burns, or collagen-vascular diseases)

Selective IgG subclass deficiencies with severe infection for persons meeting selection criteria

Solid organ transplantation

Yes     No    Will IVIG be used for allosensitized members undergoing solid organ transplant?

Staphylococcal Toxic Shock Syndrome

Stem cell or bone marrow transplantation

Systemic lupus erythematosus (SLE) (for persons with severe active SLE)

Yes     No    Have other interventions been unsuccessful, become intolerable, or are contraindicated?

    → Please select:  Unsuccessful     Intolerable     Contraindicated

Toxic epidermal necrolysis (Lyell’s syndrome) and Steven-Johnson Syndrome

Toxic shock syndrome or toxic necrotizing fasciitis due to group A streptococcus

**For Continuation Requests:(Clinical documentation required for all requests):**

Yes     No    Has the patient demonstrated an adequate response to therapy? **If Yes**, please send documentation of the patient’s progress (include specific significant or life-threatening infections and dates of occurrences as well as the member’s current dosage).

Yes     No    Has the patient received IVIG within the past 6 months?

    →  Yes     No    Does the patient have a documented severe and/or potentially life-threatening adverse event that occurred during or following the previous infusion?

        →  Yes     No    Could the adverse reaction be managed through pre-medication in the home or office setting?

### H. ACKNOWLEDGEMENT

**Request Completed By (Signature Required):** \_\_\_\_\_ **Date:** \_\_\_\_/\_\_\_\_/\_\_\_\_

Any person who knowingly files a request for authorization of coverage of a medical procedure or service with the intent to injure, defraud or deceive any insurance company by providing materially false information or conceals material information for the purpose of misleading, commits a fraudulent insurance act, which is a crime and subjects such person to criminal and civil penalties.

The plan may request additional information or clarification, if needed, to evaluate requests.