

Aetna Better Health®

**Fax completed prior authorization request form to** 855-799-2551 or submit Electronic Prior Authorization through CoverMyMeds® or SureScripts.

All requested data must be provided. Incomplete forms or forms without the chart notes will be returned

Pharmacy Coverage Guidelines are available at www.aetnabetterhealth.com/michigan/providers/medicaid/pharmacy

## Multiple Sclerosis Agents Pharmacy Prior Authorization Request Form

Do not copy for future use. Forms are updated frequently. REQUIRED: Office notes, labs and medical testing relevant to request showing medical justification are required to support diagnosis **Member Information** Member Name (first & last): Date of Birth: Gender: Height: Male Female Member ID: City: State: Weight: **Prescribing Provider Information** DEA# Provider Name (first & last): Specialty: NPI# Office Address: State: City: Zip Code: Office Contact: Office Fax: Office Phone **Dispensing Pharmacy Information** Pharmacy Phone: Pharmacy Fax: Pharmacy Name: **Requested Medication Information Bafiertam®** Mavenclad® **Kesimpta®** Mayzent® **Tascenso ODT Vumerity®** П Plegridy® Ponvory<sup>®</sup> Zeposia® Other, please specify: Medication request is NOT for an FDA approved, or compendia-supported ICD-10 Code: Diagnosis: diagnosis (circle one): Yes No What medication(s) have been tried and failed for diagnosis? (please specify): Has the member had a therapeutic failure after one-month trial with one preferred medication? Yes No Does the member have any of the following to the preferred medication(s): Contraindication or drug interactions (check all that apply) History of unacceptable side effects Directions for Use: Strength: Dosage Form: Quantity: Day Supply: Duration of Therapy/Use: **Turn-Around Time for Review** Standard - (24 hours) Urgent - If waiting 24 hours for a standard decision could seriously harm life, health, or ability to regain maximum function, you can ask for an expedited decision.

Signature:

Does the member have a diagnosis of relapsing forms of multiple sclerosis (MS) to include clinically isolated

syndrome (CIS), relapsing-remitting disease (RRMS) and active secondary progressive disease (SPMS)?

Prescriber attests that Bafiertam will be used as single agent monotherapy

**Bafiertam** 

Yes

Yes

□ No

□ No

RENEWAL of Bafiertam:	☐ Attestation of tolerance t		of a CBC, including lymphocyte count, otransferase, ALP, and total bilirubin levels					
Kesimpta	maintenance dose	serum aminotransfera	se, ALP, and	tota	l bilirur	oin le	veis	
-	osis of relapsing forms of multiple	e sclerosis (MS) to include clinica	lly isolated		Yes		No	
Does the member have a diagnosis of relapsing forms of multiple sclerosis (MS) to include clinically isolated syndrome (CIS), relapsing-remitting disease (RRMS) and active secondary progressive disease (SPMS)?								
Prescriber attests that Kesimpta will be used as single agent monotherapy				Yes		No		
Prescriber attests that the first injection will be monitored by a healthcare professional					Yes		No	
Plegridy, Mavenclad, Mayzent,	Vumerity, Zeposia							
Has the member had a therapeutic failure with two preferred medications?					Yes		No	
Ponvory								
Does the member have a diagnosis of relapsing forms of multiple sclerosis (MS) to include clinically isolated syndrome (CIS), relapsing-remitting disease (RRMS) and active secondary progressive disease (SPMS)?					Yes		No	
☐ Member has obtained a	☐ Prescriber attests that	☐ Member does NOT have		ber h	as bee	n tes	ted	
baseline	first-dose monitoring, as	an active infection,		tibodies to the ella zoster virus (VZV)				
electrocardiogram (ECG)	clinically indicated, will occur	including clinically important localized			oster v opleted		VZV)	
	occui	infections			ion ser		or	
					prior to beginning			
			thera			`		
For members with a history of uveitis and/or diabetes ONLY: A baseline ophthalmic evaluation of the fundus, including the macula, before starting treatment?					Yes		No	
Prescriber attests that ponesimod will NOT be used in combination with anti-neoplastic, immunosuppressive, or					Yes		No	
immune-modulating therapies, or, if therapy is unavoidable, the member will be monitored closely for adverse								
reactions and/or dose modifications?  Has the member had a therapeutic failure with two preferred medications?					Yes		No	
Mavenclad								
Does the member have a diagno	sis of relapsing forms of multiple	sclerosis (MS) to include relapsing	g-remitting		Yes		No	
disease and active secondary pro			, ,					
Mayzent								
Does the member have a diagnosis of relapsing forms of multiple sclerosis (MS) to include clinically isolated syndrome (CIS), relapsing-remitting disease (RRMS) and active secondary progressive disease (SPMS)?					Yes		No	
☐ Member CYP2C9 variant	☐ Member has obtained a	☐ Member has been tested	☐ Members with a history of			-		
status has been tested to	baseline	for antibodies to the	uveitis and/or diabetes			s		
determine genotyping (required for dosing)	electrocardiogram (ECG)	varicella zoster virus (VZV) or has completed the	ONLY; a baseline ophthalmic evaluation of			of		
(required for dosing)		immunization series for	the fundus, including the					
		VZV prior to beginning	macula, before			_		
		therapy	treatr	nent				
Tascenso ODT								
Does the member have a diagnosis of a relapsing form of multiple sclerosis (MS) to include clinically isolated syndrome (CIS), relapsing-remitting disease (RRMS) or active secondary progressive disease (SPMS)?				Yes		No		
Is the member unable to use brand Gilenya capsules due to swallowing difficulties?				Yes		No		
Vumerity								
Does the member have a diagnosis of relapsing forms of multiple sclerosis (MS) to include clinically isolated syndrome (CIS), relapsing-remitting disease (RRMS) and active secondary progressive disease (SPMS)?					Yes		No	
	ng disease (RRMS) and active sec	ondary progressive disease (SPMS	5)?					
Zeposia		1 11 (12)						
Does the member have a diagnosis of moderately or severely active ulcerative colitis (UC) and is prescribed by or in consultation with a gastroenterologist?					Yes		No	
_		e sclerosis (MS) to include clinica condary progressive disease (SPMS	-		Yes		No	
Member has obtained a	☐ Member does NOT have	☐ Member has been tested		bers \	with a l	nisto	ry of	
baseline	an active infection,	for antibodies to the			l/or dia		-	
electrocardiogram (ECG)	including clinically	varicella zoster virus (VZV)	ONLY; a baseline					
	important localized	or has completed the	ophthalmic evaluation of					
				ndus, including the				
	VZV prior to beginning macu therapy treati				la, before starting nent			
i l								

Prescriber attests that a CBC with lymphocyte count, ALT, AST, and total bilirubin have been obtained for the member in the past 6 months?		Yes		No			
For MS, has the member had a therapeutic failure with two preferred medications?		Yes		No			
Additional information the prescribing provider feels is important to this review. Please specify below or su	omit r	nedica	l rec	ords			
Signature affirms that information given on this form is true and accurate and reflects office notes.							
Prescribing Provider's Signature: Date:							

## Please note: Incomplete forms or forms without the chart notes will be returned

Office notes, labs, and medical testing relevant to the request that show medical justification are required. Standard turnaround time is 24 hours. You can call 855-300-5528 to check the status of a request.

Effective: 07/01/2023 C18524-A 06-2023 Page 3 of 3