

Avsola™ (infliximab-axxq) Injectable Medication Precertification Request

Page 1 of 5

(All fields must be completed and legible for precertification review.)

For New Jersey HMO D-SNP: FAX: 1-833-322-0034 PHONE: 1-844-362-0934 For other lines of business: Please use other form.

Note: Avsola is non-preferred. Preferred products vary based on indication and plan type.

Please indicate:	lease indicate: Start of treatment: Start date/				See section G below.			
	☐ Continuation of therapy	: Date	of last treatment	/				
Precertification Requested By:					Phone:		Fax: _	
A. PATIENT INFOR	RMATION							
First Name:				Last	Name:			
Address:				City:			State:	ZIP:
Home Phone:		Wor	k Phone:	•		Cell Phone:	•	
DOB:	Allergies:	•				E-mail:		
Current Weight:	lbs or	kgs	Height:		inches or	cms	3	
B. INSURANCE INF	FORMATION							
Aetna Member ID	#:		Does patient have	other o	coverage?	∕es □ No		
			If yes, provide ID#:		Car	rier Name:		
			Insured:					
Medicare: Yes	☐ No If yes, provide ID #:				icaid: Yes			
C. PRESCRIBER IN	NFORMATION							
First Name:			Last Name:			(Check One	e): 🔲 M.D. 🗀] D.O. 🗌 N.P. 🗌 P.A
Address:					City:		State:	ZIP:
Phone:	Fax:		St Lic #:		NPI #:	DEA #:		UPIN:
Provider E-mail:			Office Contact Nam	ne:			Phone	:
Specialty (Check of	one): Dermatologist	Gastro	enterologist 🔲 RI	heum	atologist 🗌 Othe	er:		
D. DISPENSING PR	ROVIDER/ADMINISTRATION IN	IFORM.	ATION					
☐ Home Infusion C	d Physician's Offic on Center Phone: ne:				'	fice macy	☐ Retail Pha ☐ Other	ırmacy
	ode(s) (CPT):							ZIP:
Address:								
City:	State:	7	ZIP:					
Phone:	Fax:							
	PIN:							
NPI:								

G. CLINICAL INFORMATION - Required clinical information must be completed in its entirety for all precertification requests

Secondary ICD Code: _

F. DIAGNOSIS INFORMATION - Please indicate primary ICD Code and specify any other where applicable.

For All Requests (clinical documentation required for all requests):

Note: Avsola is non-preferred. The preferred products for MA plans are Entyvio, Inflectra, Remicade, and Simponi Aria. For MAPD plans, Inflectra, Entyvio, and Remicade, are preferred for ulcerative colitis and Enbrel, Humira, Kevzara, Otezla, Rinvoq, Skyrizi, and Xeljanz/Xeljanz XR are preferred for other indications. Preferred products vary based on indication.

Frequency:

Other ICD Code:

Yes Yes ■	∐ No	Has the patient had prior therapy with Avsola (Infliximab-axxq) within the last 365 days?
Yes	☐ No	Has the patient had a trial and failure, intolerance, or contraindication to any of the following? (select all that apply)
		☐ Entyvio (vedolizumab) ☐ Inflectra (infliximab-dyyb) ☐ Remicade (infliximab) ☐ Simponi Aria (golimumab)
☐ Yes	☐ No	Has the patient had a trial and failure, intolerance, or contraindication to any of the following? (select all that apply)
		☐ Enbrel (etanercept) ☐ Humira (adalimumab) ☐ Kevzara (sarilumab) ☐ Otezla (apremilast) ☐ Rinvoq (upadacitinib)
		Skyrizi (risankizumab-rzaa) Xeljanz/Xeljanz XR (tofacitinib)

Please explain if there are any other medical reason(s) that the patient cannot use any of the following preferred products when indicated for the patient's diagnosis (select all the apply)

□ Entyvio (vedolizumab) □ Inflectra (infliximab-dyyb) □ Remicade (infliximab) □ Simponi Aria (golimumab)

E. PRODUCT INFORMATION

Primary ICD Code:

Request is for: Avsola (infliximab-axxq) Dose:



Avsola™ (infliximab-axxq) Injectable Medication Precertification Request

Page 2 of 5

(All fields must be completed and legible for precertification review.)

For New Jersey HMO D-SNP: FAX: 1-833-322-0034 PHONE: 1-844-362-0934

For other lines of business:

Please use other form.

Note: Avsola is non-preferred. Preferred products vary based on indication and plan type. See section G below.

Patient First Name	Patient Last Name	Patient Phone	Patient DOB		
G. CLINICAL INFORMATION (continued)					
diagnosis (select all the apply)	al reason(s) that the patient car	nnot use any of the following pref	erred products when indicated for the patient's		
,	☐ Humira (adalimumab) ☐ K	xevzara (sarilumab) ☐ Otezla (a	premilast) 🔲 Rinvoq (upadacitinib)		
☐ Skyrizi (risankizumab-	-rzaa) 🔲 Xeljanz/Xeljanz XR ((tofacitinib)			
No. I No. Will the resurrented during he			- dia-a-a- mandif dia sa anti ub accusati a durca (DMAADD)		
(e.g., Olumiant, Xeljanz)?	used in combination with any o	other biologic or targeted synthetic	c disease-modifying anti-rheumatic drug (DMARD)		
☐ Yes ☐ No Has the patient received a					
Yes No Has the pa		PPD test, interferon-release assa	ay (IGRA) or chest x-ray within 6 months of initiating		
1 1		nterferon-gamma assay (IGRA)	☐ chest x-ray		
Please er	nter the results of the TB test: []positiveັ	nown		
		or active TB? latent active	e unknown fection been initiated or completed?		
ii latent i		lect: Treatment initiated tre			
· '	patient have risk factors for TB?				
		sted for tuberculosis (TB) within th]PPD test □ interferon-gamma			
	Please enter the results	of the TB test: positive ne	egative unknown		
		itient have latent or active TB?			
			erculosis (TB) infection been initiated or completed? It initiated treatment completed		
For Initiation Requests:		/ I loade delect.	it initiated in treatment completed		
Ankylosing spondylitis or axial spondylo					
Please select which of the following applies Yes No Has the patient previously	to the patient: ☐ Active ankyl	osing spondylitis (AS)	axial spondyloarthritis		
			nonsteroidal anti-inflammatory drugs (NSAIDs), or		
	ntolerance or contraindication to				
☐ Cosentyx ☐ Enbrel ☐ Humira ☐ F		r axial spondyloarthritis that have	been ineffective, not tolerated, or are contraindicated:		
Behçet's syndrome	torrioddo 🗀 oirriporii 7 irid				
☐ Yes ☐ No Has the patient received O					
<u> </u>			c medication for Behçet's disease (e.g., colchicine,		
Crohn's disease	ic glucocorticoids, azathioprine	7) (
Yes No Has the patient been diagnosed with moderately to severely active Crohn's disease (CD)?					
Yes No Does the patient have fistulizing Crohn's disease?					
1	· · · · · · · · · · · · · · · · · · ·	= -	severely active Crohn's disease?		
Yes			o at least one conventional therapy option? ation or intolerance to at least one conventional		
	the	erapy option (e.g.,azathioprine [Az	zasan, Imuran], budesonide [Entocort EC],		
	cip	rofloxacin [Cipro], mercaptopurin	e [Purinethol], methylprednisolone [Solu-Medrol],		
		etnotrexate, metronidazole [Fiagyi aximin [Xifaxan], tacrolimus)?], prednisone, sulfasalazine [Azulfidine, Sulfazine],		
			e) 🔲 Metronidazole (Flagyl) 🔲 Ciprofloxacin		
	, _		C) Azathioprine (Azasan, Imuran)		
		,	Methylprednisolone (Solu-Medrol)		
Rifaximin (Xifaxan) Tacrolimus Please indicate the preferred alternatives for Crohn's disease that have been ineffective, not tolerated, or are contraindicated:					
☐ Humira ☐ Entyvio ☐ Remicade ☐ Stelara (intravenous formulation)					
Granulomatosis with polyangiitis (Wegener's granulomatosis)					
Yes No Has the patient experienced an inadequate response with corticosteroids or immunosuppressive therapy (e.g., cyclophosphamide,					
azathioprine, methotrexate, or mycophenolate mofetil)? Yes No Has the patient experienced an intolerance to corticosteroids and immunosuppressive therapy (e.g., cyclophosphamide,					
azathio	prine, methotrexate, or mycoph	enolate mofetil)?			
Y€		ave a contraindication to corticost amide, azathioprine, methotrexate	eroids and immunosuppressive therapy		



Avsola™ (infliximab-axxq) Injectable Medication Precertification Request

Page 3 of 5

(All fields must be completed and legible for precertification review.)

For New Jersey HMO D-SNP: FAX: 1-833-322-0034 PHONE: 1-844-362-0934

For other lines of business:

Please use other form.

Note: Avsola is non-preferred. Preferred products vary based on indication and plan type. See section G below.

Patient First Name	Patient Last Name	Patient Phone	Patient DOB		
G. CLINICAL INFORMATION (continued)	 Required clinical information must be 	completed in its entirety for all pre	ecertification requests.		
Hidradenitis suppurativa	•		·		
☐ Yes ☐ No Has the patient been diagn	osed with severe, refractory hidradenitis	suppurativa?			
Yes No Has the patient previously			ctory hidradenitis suppurativa?		
l —	e patient experienced an inadequate resp	· · · · · · · · · · · · · · · · · · ·	, , , , , , , , , , , , , , , , , , , ,		
	es 🔲 No Has the patient experienced				
		patient have a contraindication to	oral antibiotics?		
☐ Yes ☐ No Has the patient had an inef	fective response, contraindication or into	plerance to Humira?			
Juvenile idiopathic arthritis					
☐ Yes ☐ No Has the patient previously					
	patient experienced an inadequate response				
			ent with corticosteroids (e.g., prednisone,		
metnyip │	, —		east 3 months of treatment with leflunomide		
Yes No Has the patient had an inef					
— ·	nective response, contraindication of inte	Dierance to Enbrer:			
Immune checkpoint inhibitor toxicity	d an inadaguata rannonaa ta aartigaatar	oido?			
Yes ☐ No Has the patient experience ☐ Yes ☐ No Does the		olus :			
	patient have cardiac toxicity:				
Plaque psoriasis ☐ Yes ☐ No Has the patient been diagn	assed with chronic sovere plague pserie	cic?			
Yes No Has the patient been diagri			nt of chronic severe plague psoriasis?		
1 = + · · ·	oody surface area (BSA) affected (prior t		· · · · ·		
Please select: ☐ Less th		o starting the requested medicals	311):		
		hands, feet, face, neck, scalp, ge	nitals/groin, intertriginous areas) affected?		
☐ Greater	than or equal to 3% of BSA				
	patient experienced an inadequate respo		ototherapy (e.g., UVB, PUVA) or		
l	cologic treatment with methotrexate, cycle	•			
Yes	No Does the patient have a clinical cyclosporine and acitretin?	reason to avoid pharmacologic tr	eatment with methotrexate,		
	1 · <u>-</u> · <u>-</u>	nt have severe psoriasis that war	rants a biologic DMARD as first-line		
			ea (BSA) or crucial body areas (e.g., hands,		
		k, scalp, genitals/groin, intertrigino			
			☐ Alcoholism, alcoholic liver disease or		
			due to risk of treatment-related toxicity		
	☐ Drug interaction with tradition	nal systemic agent 🔲 Pregnancy	or planning pregnancy Significant		
	comorbidity prohibits use of syst	temic agents (e.g., liver or kidney	disease, blood dyscrasias, uncontrolled		
	hypertension)				
	Other reason to avoid pharm				
└⇒ 🗌 Yes 🔲 No Does the patient have severe psoriasis that warrants a biologic DMARD as first-line					
	. , ,		ee area (BSA) or crucial body areas (e.g.,		
Please indicate the proferred alternatives for			n, intertriginous areas) are affected)?		
Please indicate the preferred alternatives for plaque psoriasis that have been ineffective, not tolerated, or are contraindicated: Humira Ilumya Otezla Remicade Skyrizi Stelara Taltz Tremfya					
Psoriatic arthritis					
☐ Yes ☐ No Has the patient been diagnosed with active psoriatic arthritis (PsA)?					
Please indicate the preferred alternatives for psoriatic arthritis that have been ineffective, not tolerated, or are contraindicated:					
□ Cosentyx □ Enbrel □ Humira □ Otezla □ Remicade □ Simponi Aria					
Pyoderma gangrenosum					
Yes No Has the patient previously received a biologic medication indicated for the treatment of pyoderma gangrenosum?					
The square response with corticosteroids or immunosuppressive therapy (e.g., cyclosporine)					
or mycophenolate mofetil)?					
☐ Yes ☐ No Has the patient experienced an intolerance to corticosteroids and immunosuppressive therapy (e.g.,					
cyclosporine or mycophenolate mofetil)?					
☐ Yes ☐ No Does the patient have a contraindication to corticosteroids and immunosuppressive therapy (e.g., cyclosporine mycophenolate mofetil)?					
	inerapy (e.g	., cyclosponne mycopnenolate me	neur):		

Continued on next page



Avsola™ (infliximab-axxq) Injectable **Medication Precertification Request**

Page 4 of 5

(All fields must be completed and legible for precertification review.)

For New Jersey HMO D-SNP: FAX: 1-833-322-0034 PHONE: 1-844-362-0934

For other lines of business:

Please use other form.

Note: Avsola is non-preferred. Preferred products vary based on indication and plan type. See section G below.

Patient First Name	Patient Last Name	Patient Phone	Patient DOB			
G. CLINICAL INFORMATION (continued) - R	equired clinical information must be comple	eted in its <u>entirety</u> for all precertific	cation requests.			
Reactive arthritis		A				
Yes No Has the patient previously received a biologic medication indicated for the treatment of reactive arthritis? Yes No Has the patient experienced an inadequate response after at least 3 months of treatment with methotrexate titrated 20 mg per week? Yes No Has the patient experienced intolerance to methotrexate? Yes No Does the patient have a contraindication to methotrexate? Please indicate the contraindication: History of intolerance or adverse event Alcoholism, alcoholic liver disease or other chronic liver disease Elevated liver transaminases Interstitial pneumonitis or clinically significant pulmonary fibrosis Renal impairment Pregnancy or planning pregnancy Breastfeeding Blood dyscrasias (e.g., thrombocytopenia, leukopenia, significant anemia) Myelodysplasia Hypersensitivity Significant drug interaction Other Other Other No Has the patient been diagnosed with moderately to severely active rheumatoid arthritis (RA)?						
Yes No Has the patient previously recei	ved a biologic or targeted synthetic disease	e modifying drug (e.g., Xeljanz) in	dicated for moderately to severely			
Please indica event ☐ Alco pneumonitis o ☐ Breastfeed ☐ Hypersens	ted medication being prescribed in combinate a clinical reason for the patient to not us soholism, alcoholic liver disease or other chip clinically significant pulmonary fibrosis titing Blood dyscrasias (e.g., thrombocy sitivity Significant drug interaction to Does the patient have other reason or no Please explain:	e methotrexate or leflunomide:] History of intolerance or adverse ver transaminases ☐ Interstitial cy or planning pregnancy nemia) ☐ Myelodysplasia			
Yes No	Has the patient experienced an inadequ	ate response after at least 3 mon	oths of treatment with the			
methotrexate dose greater than or equal to 20 mg per week? Yes No Has the patient experienced intolerance to methotrexate? Yes No Does the patient have a contraindication to methotrexate? Please indicate the contraindication: History of intolerance or adverse event						
☐ Alcoholism, alcoholic liver disease or other chronic liver disease ☐ Elevated liver transaminases ☐ Interstitial pneumonitis or clinically significant pulmonary fibrosis ☐ Renal impairment ☐ Pregnancy or planning pregnancy ☐ Breastfeeding ☐ Blood dyscrasias (e.g., thrombocytopenia, leukopenia, significant anemia) ☐ Myelodysplasia ☐ Hypersensitivity ☐ Significant drug interaction ☐ Other ☐ No clinical reason not to use methotrexate or leflunomide						
Yes No Is the requested medication being prescribed in combination with methotrexate or leflunomide? Please indicate a clinical reason for the patient to not use methotrexate or leflunomide: ☐ History of intolerance or adverse event ☐ Alcoholism, alcoholic liver disease or other chronic liver disease ☐ Elevated liver transaminases ☐ Interstitial pneumonitis or clinically significant pulmonary fibrosis ☐ Renal impairment ☐ Pregnancy or planning pregnancy ☐ Breastfeeding ☐ Blood dyscrasias (e.g., thrombocytopenia, leukopenia, significant anemia) ☐ Myelodysplasia ☐ Hypersensitivity ☐ Significant drug interaction ☐ Other ☐ No clinical reason not to use methotrexate or leflunomide Please indicate the preferred alternatives for rheumatoid arthritis have been ineffective, not tolerated, or are contraindicated:						
☐ Enbrel ☐ Humira ☐ Kevzara ☐ Orencia ☐ Remicade ☐ Rinvoq ☐ Simponi Aria ☐ Xeljanz/Xeljanz XR Sarcoidosis						
☐ Yes ☐ No Has the patient experienced an inadequate response with corticosteroids or immunosuppressive therapy? ☐ Yes ☐ No Has the patient experienced an intolerance to corticosteroids and immunosuppressive therapy? ☐ Yes ☐ No Does the patient have a contraindication to corticosteroids and immunosuppressive therapy?						
Takayasu's arteritis						
Yes No Has the patient experienced an inadequate response with corticosteroids or immunosuppressive therapy (e.g., methotrexate, azathioprine, or mycophenolate mofetil)?						
Yes No Has the patient experienced an intolerance to corticosteroids and immunosuppressive therapy (e.g., methotrexate, azathioprine, or mycophenolate mofetil)?						
→ Li Yes Li N	Yes No Does the patient have a contraindication to corticosteroids and immunosuppressive therapy (e.g., methotrexate, azathioprine, or mycophenolate mofetil)?					

Continued on next page



Avsola™ (infliximab-axxq) Injectable Medication Precertification Request

Page 5 of 5

(All fields must be completed and legible for precertification review.)

For New Jersey HMO D-SNP: FAX: 1-833-322-0034 PHONE: 1-844-362-0934

For other lines of business:

Please use other form.

Note: Avsola is non-preferred. Preferred products vary based on indication and plan type. See section G below.

Patient First Name	Patient Last Name	Patient Phone	Patient DOB		
G. CLINICAL INFORMATION (continued)) – Required clinical information	n must be completed in its entirety	for all precertification requests.		
Ulcerative colitis					
☐ Yes ☐ No Has the patient been diagnose	ed with moderately to severely a	ctive ulcerative colitis (UC)?			
		int ulcerative colitis (e.g., continuous	bleeding, severe toxic symptoms.		
	ver and anorexia)?	(3 /	3, , , , , , , , , , , , , , , , , , ,		
Yes \(\text{No}\) Has the pat	ient previously received a biologi	c or targeted synthetic disease modi	fying drug (e.g., Xeljanz) indicated for		
<u> </u>	to severely active ulcerative colit	9 ,	, , , ,		
	•	ad an inadequate response to at lea	st one conventional therapy option?		
T T			ntolerance to at least one conventional		
			nuran], corticosteroid [e.g., budesonide,		
		tisone [Entocort, Uceris], methylpred			
			Pentasa, Canasa, Rowasa], mercaptopurine		
		nol], sulfasalazine, tacrolimus [Progra	af], metronidazole/ciprofloxacin		
		hitis only])?	stancial (a.m. buda amida [Entacent Harmin]		
			steroid (e.g., budesonide [Entocort, Uceris], thylprednisolone [Medrol, Solu-Medrol],		
			ne (e.g., Apriso, Asacol, Lialda, Pentas, Canasa,		
			☐ Tacrolimus (Prograf) ☐ Metronidazole		
		(Cipro) (for pouchitis only)			
Please indicate the preferred alternatives for u			indicated:		
☐ Humira ☐ Entyvio ☐ Remicade ☐ Xe	ljanz 🔲 Stelara (intravenous fo	rmulation)			
Uveitis					
☐ Yes ☐ No Has the patient previously rec					
		esponse with corticosteroids or imm	unosuppressive therapy (e.g., methotrexate,		
azathioprine, or mycophenolate mofetil)?					
Yes No Has the patient experienced an intolerance to corticosteroids and immunosuppressive therapy (e.g.,					
methotrexate, azathioprine, or mycophenolate mofetil)?					
Yes No Does the patient have a contraindication to corticosteroids and immunosuppressive therapy (e.g., methotrexate, azathioprine, or mycophenolate mofetil)?					
☐ Yes ☐ No Has the patient had an ineffective response, contraindication or intolerance to Humira?					
For Continuation Requests:					
Yes ☐ No Is the patient currently receiving the requested drug through samples or a manufacturer's patient assistance program?					
Yes No Has the patient achieved or maintained positive clinical response as evidenced by low disease activity or improvement in signs and symptoms					
since starting treatment with the requested drug?					
H. ACKNOWLEDGEMENT					
Request Completed By (Signature Requi	red):		Date: //		
Any person who knowingly files a request for authorization of coverage of a medical procedure or service with the intent to injure, defraud or deceive any insurance company by providing materially false information or conceals material information for the purpose of misleading, commits a fraudulent insurance act, which is a crime and subjects such person to criminal and civil penalties.					

The plan may request additional information or clarification, if needed, to evaluate requests.