

MEDICARE FORM

Erythropoiesis Stimulating Agents Injectable Medication Precertification Request

Page 1 of 3

(All fields must be completed and legible for precertification review)

FAX: 1-833-322-0034 PHONE: 1-844-362-0934

For other lines of business:

Please use other form

Note: Procrit and Epogen are nonpreferred. The preferred products are Aranesp, Mircera and Retacrit.

Please indicate:	☐ Start of treatment: Start☐ Continuation of therapy:						
Precertification R	Requested By:			Fax	x:		
A. PATIENT INFO	•						
First Name:		Last Name:		DOB:			
Address:			City:	State:	ZIP:		
Home Phone:	Work	Phone:	Cell Phone:	Email:			
Current Weight:	lbs orkgs	Height: inch	nes or cms Alle	ergies:			
B. INSURANCE		<u> </u>					
Aetna Member ID #:		Does patient ha	Does patient have other coverage? ☐ Yes ☐ No				
Group #:			If yes, provide ID#: Carrier Name:				
Insured:		Insured:					
C. PRESCRIBER	RINFORMATION						
First Name:		Last Name:			D.O. N.P. P.A.		
Address:		<u>, </u>	City:	State:	ZIP:		
Phone:	Fax:	St Lic #:	NPI #:	DEA #:	UPIN:		
Office Contact Na				Phone:			
D. DISPENSING PROVIDER/ADMINISTRATION INFOR Place of Administration: Self-administered Physician's Office Home Outpatient Infusion Center Phone: Center Name: Home Infusion Center Phone: Agency Name: Administration code(s) (CPT): Address: E. PRODUCT INFORMATION] Home	Retail Pharmacy Mail Order Name: Address:	Center Physician's Specialty Pl Other: Fax:	harmacy		
Request is for: Aranesp (darbepoetin alfa) Epogen (epoetin alfa) Mircera (methoxy polyethylene glycol/epoetin beta) Procrit (epoetin alfa) Retacrit (epoetin alfa-epbx) Dose/Frequency: (Failure to provide dose & frequency may delay request)							
F. DIAGNOSIS II	NFORMATION - Please indica	ate primary ICD code and	specify any other where applic	cable.			
Primary ICD Code	e:	Secondary ICD Code:	Oth	ner ICD Code:			
G. CLINICAL INF	FORMATION - Required clinic	al information must be co	mpleted in its <u>entirety</u> for all pr	ecertification requests.			
For All Requests: (Clinical documentation required for all requests) Yes No Will Aranesp (darbepoetin alfa), Procrit (epoetin alfa), Epogen (epoetin alfa), Mircera (methoxy polyethylene glycol/epoetin beta), or Retacrit (epoetin alfa-epbx) be used concomitantly? Yes No Is the patient currently taking iron supplements? Hemoglobin (Hgb) result?mg/dL Date of test// For Initial Requests:							
Note: Procrit and	Epogen are non-preferred. The ts may vary based on indication		Aranesp, Mircera and Retacrit				
☐ Yes ☐ No Has the patient had prior therapy with the requested product within the last 365 days? ☐ Yes ☐ No Has the patient had a trial, intolerance, or contraindication to any of the following? (select all that apply) ☐ Aranesp (darbepoetin alfa) ☐ Mircera (methoxy polyethylene glycol-epoetin beta) ☐ Retacrit (epoetin alfa-epbx) Please explain if there are any other medical reason(s) that the patient cannot use any of the following preferred products when indicated for the patient's diagnosis? (select all that apply) ☐ Aranesp (darbepoetin alfa) ☐ Mircera (methoxy polyethylene glycol-epoetin beta) ☐ Retacrit (epoetin alfa-epbx)							

Continued on next page



MEDICARE FORM

Erythropoiesis Stimulating Agents Injectable Medication Precertification Request

Page 2 of 3

(All fields must be completed and legible for precertification review)

For New Jersey FIDE D-SNP: FAX: 1-833-322-0034 PHONE: 1-844-362-0934

For other lines of business:

Please use other form

Note: Procrit and Epogen are nonpreferred. The preferred products are Aranesp, Mircera and Retacrit.

Patient First Name	Patient Last Name	Patient Phone	Patient DOB						
G. CLINICAL INFORMATION (Continued)	Required clinical information must be a	completed in its entirety for all	precertification requests						
G. CLINICAL INFORMATION (Continued) – Required clinical information must be completed in its entirety for all precertification requests. Yes No Is this request for Epogen (epoetin alfa) or Procrit (epoetin alfa)? Yes No Was treatment with Aranesp (darbepoetin alfa), Mircera (methoxy polyethylene glycol-epoetin beta), or Retacrit (epoetin alfa-epbx) ineffective? Yes No Was treatment with Aranesp (darbepoetin alfa), Mircera (methoxy polyethylene glycol-epoetin beta), or Retacrit (epoetin alfa-epbx) not tolerated, or is contraindicated? Please select: not tolerated contraindicated									
_	Please indicate the length of time on therapy:////								
Yes No Does the patient experience shortness of breath, weakness, fatigue, or lightheadedness from anemia? Please indicate which of the following symptoms the patient experiences: shortness of breath weakness fatigue lightheadedness Indicate which of the following symptoms the patient experiences: shortness of breath weakness lightheadedness Indicate which of the following symptoms affecting the patient's ability to perform activities of daily living? Yes No Does the patient exhibit angina, syncope, or tachycardia from anemia?									
	following symptoms of anemia the patient of	exhibits: ☐ angina ☐ syncope	☐ tachycardia						
☐ Serum Ferritin Levels - Date of tes	/ts: n - Date of test / Please st / Please indicate th AT) - Date of test / Ple	e result:ng/mL							
Anemia of Prematurity:									
Please indicate the patient's birth wei Please indicate the patient's gestation	nal age in weeks:								
☐ Antineoplastic / Myelosuppressive Chemotherapy Induced Anemia (solid tumors, multiple myeloma, lymphoma, lymphocytic leukemia): ☐ Yes ☐ No Is the intent of the treatment to decrease the need for transfusions in persons who will receive chemotherapy? ☐ Yes ☐ No Is the patient actively receiving chemotherapy? ☐ Yes ☐ No Is the intent of the treatment to be curative? ☐ Yes ☐ No Is the planned chemotherapy treatment regimen to continue for a minimum of 2 months?									
Continuation of treatment: ☐ Yes ☐ No Has there been a de	crease in the need for transfusions in patier	nts who are receiving chemother	ару?						
Please indicate the p ☐ Yes ☐ No ☐ N ☐ Yes ☐ No Will ☐ Yes ☐ No Is this a con	thy receiving dialysis? catient's creatinine clearance:mL/min catient's glomerular filtration:mL/min N/A Based on the decline rate of Hgb level this request be used to reduce the risk of al ntinuation request for a member currently or nat apply to the patient: acute myocardial living at an elevat	/1.73m ² Date of test/ Is is there a likelihood of red bloo Iloimmunization and/or other RBin dialysis? Infarction (AMI) ☐ orthostatic tion of greater than 6000ft	/ od cell transfusion? C transfusion-related risks?						
☐ Hepatitis C with Chemotherapy Induced	Anemia:	0	y interior or with doublies of daily living						
	ing interferon or pegylated interferon plus ril less than10 g/dL despite a reduction in the								
☐ Human Immunodeficiency Virus (HIV) Die Endogenous EPO level:mIU/m☐ Yes☐ No Is the patient current☐ Yes☐ No Is the current zidovu	nL Date of test/	eek?							
	n (EPO) levels are less than or equal to 500mIU/mL Date of test//								
	nL Date of test //// fusion dependent?								



MEDICARE FORM

Erythropoiesis Stimulating Agents Injectable Medication Precertification Request

Page 3 of 3

(All fields must be completed and legible for precertification review)

FAX: 1-833-322-0034 PHONE: 1-844-362-0934

For other lines of business:

Please use other form

Note: Procrit and Epogen are nonpreferred. The preferred products are Aranesp, Mircera and Retacrit.

	•	•					
Patient First Name	Patient Last Name	Patient Phone	Patient DOB				
G. CLINICAL INFORMATION (Continued)	- Required clinical information must be	completed in its <u>entirety</u> for all p	recertification requests.				
Miscellaneous Induced Anemias: Check all that apply and supply requested information: The wedget into about discrete here identified as a Discrete identified by a Discre							
☐ The underlying chronic disease has been identified. —> Please identify the underlying chronic disease:							
The patient is scheduled to undergo high-risk surgery. —> Is there an increased risk of or intolerance to blood transfusions? 🗌 Yes 🔲 No							
Date of surgery/ Type of surgery:							
Continuation of Treatment:							
☐ Yes ☐ No Has the patient's hemoglobin (Hgb) risen by at least 1 g/dL while on erythropoietin stimulating treatment? ✓ If no, please supply rationale for continuation of treatment request:							
If yes, please indicate	the pre-treatment hemoglobin level:	g/dL Date obtained:/					
H. ACKNOWLEDGEMENT							
Request Completed By (Signature Require	red):		Date:/				
Any person who knowingly files a request for authorization of coverage of a medical procedure or service with the intent to injure, defraud or deceive any insurance company by providing materially false information or conceals material information for the purpose of misleading, commits a fraudulent insurance act, which is a crime and subjects such person to criminal and civil penalties.							

The plan may request additional information or clarification, if needed, to evaluate requests.