Diabetes Screening for People with Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications (SSD)

HEDIS® Measurement Year 2020 & 2021 Measures

Measure Description: The percentage of members 18–64 years of age with schizophrenia, schizo-affective disorder, or bipolar disorder, who were dispensed an antipsychotic medication and had a diabetes screening test during the measurement year.

- Glucose Test
- HbA1c Test

Eligible Population

Ages: Members 18–64 years of age with schizophrenia or bipolar disorder.

Strategies for Improvement

- Utilize NCQA coding tips to actively reflect care rendered.
- Routinely refer members on an antipsychotic medication out to have their blood glucose or HbA1c drawn at least annually.
- Follow up with patients to discuss and educate on lab results.
- Coordinate care with the patient's treating behavioral health specialists.

Numerator Codes

The measure Diabetes Screening for People with Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications SSD to identify the service or condition included in the measure.

The following are just a few of the approved codes. For a complete list please refer to the NCQA website at NCQA.org.

| Test | CPT Codes |
|---------|---|
| Glucose | 80047; 80048; 80050; 80053; 80069; 82947; 82950; 82951 |
| HbA1c | 83036; 83037; 3044F; 3046F; 3051F; 3052F |

