

State of Oklahoma SoonerCare Leqvio® (Inclisiran) Prior Authorization Form

Member Name:	Date of Birth:	Member ID#:
	Drug Information	
□Physician billing (HCPCS code:) □Pharmacy billing (NDC:)		
	n:	
Billing Provider Information		
Provider NPI: Provider Name:		
Provider Phone: Provider Fax: Provider Fax:		
Prescriber Information Prescriber NPI:Prescriber Name:		
Prescriber Phone:P		
	Criteria	
receptor functionality via genetic. Pre-treatment total cholesterol >2 History of tendon xanthomas in e Dutch Lipid Clinic Network Criteri Established atherosclerotic cardiovasc occurrence signifying established ASC Diagnosis/condition: Diagnosis/condition: Will Leqvio® be used as an adjunct to diet at a sequence of the following media. High dose or maximally tolerate i. Medication/strength: b. Ezetimibe; dates: c. Proprotein convertase subtilising ii. Medication/strength: If the member has not been on a stable do intolerant to statin therapy? Yes No a. If yes, please indicate 1 of the following Please provide all of the following: An FDA labeled contraindication Documented intolerance to at lease please provide all of the following: 1) Medication/strength: Duration of treatment: 2) Medication/strength: Duration of treatment: 2) Medication/strength: Duration of treatment: 5. Member's baseline LDL-C: 6. Will Leqvio® be administered by a health of the follow will be administered in a health	lemia (HeFH) confirmed by 1 or s) in low-density lipoprotein (LDL testing ** 90mg/dL or LDL-cholesterol (LDL ther the member, first degree real score of >8 ular disease (ASCVD). Please provide a score of >8 ular disease (ASCVD). Please provide of occur and maximally tolerated statin the lications? Check all that apply. Please of disease of maximally tolerated statin the lications? Check all that apply. Please of occur and maximally tolerated statin the lications? Check all that apply. Please of maximally tolerated statin the lications of maximally tolerated statin to all statins. Provide contrainding ast 2 different statins at lower do licated ast 2 different statins at lower do licated lic	more of the following: L) receptor alleles or alleles known to affect LDL DL-C) >190mg/dL lative, or second degree relative provide supporting diagnoses/conditions and dates of currence: currence: cerapy? Yes No revide trial dates and specific medication if applicable regimen: cherapy for at least 4 weeks, is the member sis must be provided. cation: cation: sees or at intermittent dosing: regimen: continuation: continuation: cond LDL-C: cealth care provider):
counseled on the proper storage of Leqvio	®? Yes No	
For Continued Authorization: 1. Has member been compliant with Leqvio® 2. Please provide a recent LDL-C level for thi	s member: D	ate taken:
Prescriber Signature: By signature, the physician confirms the criter Specific information will be requested if necessary	Date: ria information above is accurate	e and verifiable in patient records.

Fax completed prior authorization request form to 888-601-8461 or submit Electronic Prior Authorization through CoverMyMeds® or SureScripts. All requested data must be provided. Incomplete forms or forms without the chart notes will be returned. Pharmacy Coverage

> Guidelines are available at AetnaBetterHealth.com/Oklahoma.

<u>CONFIDENTIALITY NOTICE</u>
This document, including any attachments, contains information which is confidential or privileged. If you are not the intended recipient, be aware that any disclosure, copying, distribution, or use of the contents of this information is prohibited. If you have received this document in error, please notify the sender immediately by telephone to arrange for the return of the transmitted documents or to verify their destruction.