



AETNA BETTER HEALTH®
Coverage Policy/Guideline

Name: Wegovy Cardiovascular Page: 1 of 5
Effective Date: 9/24/2025 Last Review Date: 9/2025

Applies to: Illinois Florida Florida Kids
 New Jersey Maryland Michigan
 Pennsylvania Kids Virginia Kentucky PRMD

Intent:

The intent of this policy/guideline is to provide information to the prescribing practitioner outlining the coverage criteria for Wegovy under the patient’s prescription drug benefit.

Description:

FDA-approved Indications

Wegovy

Wegovy is indicated in combination with a reduced calorie diet and increased physical activity:

- to reduce the risk of major adverse cardiovascular (CV) events (CV death, non-fatal myocardial infarction, or non-fatal stroke) in adults with established CV disease and either obesity or overweight.
- to reduce excess body weight and maintain weight reduction long term in:
 - Adults and pediatric patients aged 12 years and older with obesity (*not a covered benefit*)
 - Adults with overweight in the presence of at least one weight-related comorbid condition. (*not a covered benefit*)
- for the treatment of noncirrhotic metabolic dysfunction-associated steatohepatitis (MASH), formerly known as nonalcoholic steatohepatitis (NASH), with moderate to advanced liver fibrosis (consistent with stages F2 to F3 fibrosis) in adults.

The indication for MASH is approved under accelerated approval based on improvement of MASH and fibrosis. Continued approval for this indication may be contingent upon the verification and description of clinical benefit in a confirmatory trial.

Limitations of Use

- Wegovy contains semaglutide. Coadministration with other semaglutide-containing products or with any other GLP-1 receptor agonist is not recommended.

Use of Wegovy for the indication of weight loss only is an excluded benefit and will not be covered.

Applicable Drug List:

Wegovy



AETNA BETTER HEALTH®
Coverage Policy/Guideline

Name: Wegovy Cardiovascular Page: 2 of 5
Effective Date: 9/24/2025 Last Review Date: 9/2025

Applies to: Illinois Florida Florida Kids
 New Jersey Maryland Michigan
 Pennsylvania Kids Virginia Kentucky PRMD

Policy/Guideline:

Coverage Criteria

Noncirrhotic Metabolic Dysfunction-Associated Steatohepatitis

Authorization may be granted when the requested drug is being prescribed for the treatment of noncirrhotic metabolic dysfunction-associated steatohepatitis (MASH), formerly known as nonalcoholic steatohepatitis (NASH), with moderate to advanced liver fibrosis (consistent with stages F2 to F3 fibrosis) in an adult when ALL of the following criteria are met:

- The request is for Wegovy (semaglutide).
- The requested drug is being used with a reduced-calorie diet AND increased physical activity.
- The requested drug is being prescribed by, or in consultation with, a gastroenterologist or hepatologist.
- The patient's moderate to advanced liver fibrosis (consistent with stages F2 to F3 fibrosis) at baseline has been confirmed by ONE of the following: non-invasive liver disease assessment (e.g., ultrasound-based elastography, magnetic resonance elastography [MRE]) OR historical liver biopsy. [ACTION REQUIRED: Documentation is required for approval.]

Risk Reduction of Major Adverse Cardiovascular Events

Authorization may be granted when the requested drug is being used to reduce the risk of major adverse cardiovascular events (cardiovascular death, non-fatal myocardial infarction (MI), or non-fatal stroke) in an adult with established cardiovascular disease AND either obesity or overweight when ALL of the following criteria are met:

- The request is for Wegovy (semaglutide).
- The requested drug is being used with a reduced-calorie diet AND increased physical activity.
- The patient has established cardiovascular disease with a history of ONE of the following: [ACTION REQUIRED: Documentation is required for approval.]
 - Previous MI.
 - Previous stroke.
 - Symptomatic peripheral arterial disease (PAD), as evidenced by intermittent claudication with ankle-brachial index (ABI) less than 0.85 (at rest), peripheral arterial revascularization procedure, or amputation due to atherosclerotic disease.
 - Prior history of revascularization (coronary artery bypass grafting (CABG), percutaneous coronary intervention (PCI), or angioplasty).



AETNA BETTER HEALTH®
Coverage Policy/Guideline

Name: Wegovy Cardiovascular Page: 3 of 5
Effective Date: 9/24/2025 Last Review Date: 9/2025

Applies to: Illinois Florida Florida Kids
 New Jersey Maryland Michigan
 Pennsylvania Kids Virginia Kentucky PRMD

- The patient has a baseline body mass index (BMI) greater than or equal to 27 kg/m². [ACTION REQUIRED: Documentation is required for approval.] [NOTE: If the patient is transitioning from another drug therapy for weight loss, please consider their baseline BMI at the start of any drug therapy.]
- The patient does NOT have type 2 diabetes. [NOTE: Ozempic is indicated to reduce the risk of major cardiovascular events in adults with type 2 diabetes mellitus and established cardiovascular disease. Patients with type 2 diabetes may be treated for risk reduction of cardiovascular events with Ozempic.]
- The patient is currently receiving guideline-directed management and therapy (GDMT) for cardiovascular disease (e.g., lipid-lowering agent, antiplatelet, beta-blocker, renin-angiotensin inhibitor, etc.) OR the patient has clinical reason not to be treated with GDMT for cardiovascular disease. [ACTION REQUIRED: Documentation is required for approval.]

Continuation of Therapy

Noncirrhotic Metabolic Dysfunction-Associated Steatohepatitis

Authorization may be granted when the requested drug is being prescribed for the treatment of noncirrhotic metabolic dysfunction-associated steatohepatitis (MASH), formerly known as nonalcoholic steatohepatitis (NASH), with moderate to advanced liver fibrosis (consistent with stages F2 to F3 fibrosis) in an adult when ALL of the following criteria are met:

- The request is for Wegovy (semaglutide).
- The requested drug is being used with a reduced-calorie diet AND increased physical activity.
- The patient has achieved or maintained a positive clinical response to the requested drug (e.g., improvement in liver function such as reduction in alanine aminotransferase [ALT], improvement in Enhanced Liver Fibrosis (ELF) score, improvement in liver stiffness measurement [LSM] by ultrasound-based elastography, magnetic resonance elastography [MRE]). [ACTION REQUIRED: Documentation is required for approval.]
- The patient is being treated with a maintenance dosage of the requested drug which is based on individual treatment response and tolerability.

Risk Reduction of Major Adverse Cardiovascular Events

Authorization may be granted when the requested drug is being used to reduce the risk of major adverse cardiovascular events (cardiovascular death, non-fatal myocardial infarction



AETNA BETTER HEALTH®
Coverage Policy/Guideline

Name:	Wegovy Cardiovascular	Page:	4 of 5
Effective Date:	9/24/2025	Last Review Date:	9/2025
Applies to:	<input checked="" type="checkbox"/> Illinois <input type="checkbox"/> New Jersey <input type="checkbox"/> Pennsylvania Kids	<input type="checkbox"/> Florida <input type="checkbox"/> Maryland <input type="checkbox"/> Virginia	<input type="checkbox"/> Florida Kids <input type="checkbox"/> Michigan <input type="checkbox"/> Kentucky PRMD

(MI), or non-fatal stroke) in an adult with established cardiovascular disease AND either obesity or overweight when ALL of the following criteria are met:

- The request is for Wegovy (semaglutide).
- The requested drug is being used with a reduced-calorie diet AND increased physical activity.
- The patient has established cardiovascular disease with a history of ONE of the following: [ACTION REQUIRED: Documentation is required for approval.]
 - Previous MI.
 - Previous stroke.
 - Symptomatic peripheral arterial disease (PAD), as evidenced by intermittent claudication with ankle-brachial index (ABI) less than 0.85 (at rest), peripheral arterial revascularization procedure, or amputation due to atherosclerotic disease.
 - Prior history of revascularization (coronary artery bypass grafting (CABG), percutaneous coronary intervention (PCI), or angioplasty).
- The patient is being treated with a maintenance dosage of the requested drug.

Approval Duration and Quantity Restrictions:

Initial Approval: 7 months

Renewal Approval: 12 months

Quantity Level Limit:

Drug	Dosage	1 Month Limit	3 Months Limit
Wegovy (semaglutide)	0.25 mg / 0.5 mL	2 mL (1 package of 4 pens each) / 21 days	6 mL (3 packages of 4 pens each) / 63 days
Wegovy (semaglutide)	0.5 mg / 0.5 mL	2 mL (1 package of 4 pens each) / 21 days	6 mL (3 packages of 4 pens each) / 63 days
Wegovy (semaglutide)	1 mg / 0.5 mL	2 mL (1 package of 4 pens each) / 21 days	6 mL (3 packages of 4 pens each) / 63 days
Wegovy (semaglutide)	1.7 mg / 0.75 mL	3 mL (1 package of 4 pens each) / 21 days	9 mL (3 packages of 4 pens each) / 63 days
Wegovy (semaglutide)	2.4 mg / 0.75 mL	3 mL (1 package of 4 pens each) / 21 days	9 mL (3 packages of 4 pens each) / 63 days



AETNA BETTER HEALTH®
Coverage Policy/Guideline

Name:	Wegovy Cardiovascular	Page:	5 of 5
Effective Date:	9/24/2025	Last Review Date:	9/2025
Applies to:	<input checked="" type="checkbox"/> Illinois	<input type="checkbox"/> Florida	<input type="checkbox"/> Florida Kids
	<input type="checkbox"/> New Jersey	<input type="checkbox"/> Maryland	<input type="checkbox"/> Michigan
	<input type="checkbox"/> Pennsylvania Kids	<input type="checkbox"/> Virginia	<input type="checkbox"/> Kentucky PRMD

References:

1. Wegovy [package insert]. Plainsboro, NJ: Novo Nordisk Inc.; August 2025.
2. Lexicomp Online, AHFS DI (Adult and Pediatric) Online. Waltham, MA: UpToDate, Inc.; 2025. <https://online.lexi.com>. Accessed March 27, 2025.
3. Micromedex® (electronic version). Merative, Ann Arbor, Michigan, USA. Available at: <https://www.micromedexsolutions.com/> (cited: 03/27/2025).
4. Lincoff AM, Brown-Frandsen K, Colhoun HM, et al. Semaglutide and Cardiovascular Outcomes in Obesity without Diabetes. *N Engl J Med*. 2023;389:2221-2232.
5. Virani SS, Newby LK, Arnold SV, et al. 2023 AHA/ACC/ACCP/ASPC/NLA/PCNA Guideline for the Management of Patients With Chronic Coronary Disease: A Report of the American Heart Association/American College of Cardiology Joint Committee on Clinical Practice Guidelines. *Circulation*. 2023;148:e9-e119.
6. Kleindorfer DO, Towfighi A, Chaturvedi S, et al. 2021 Guideline for the Prevention of Stroke in Patients With Stroke and Transient Ischemic Attack: A Guideline From the American Heart Association/American Stroke Association. *Stroke*. 2021;52(7):e364-e467.
7. Gornik HL, Aronow HD, Goodney PP, et al. 2024 ACC/AHA/AACVPR/APMA/ABC/SCAI/SVM/SVN/SVS/SIR/VESS Guideline for the Management of Lower Extremity Peripheral Artery Disease: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines. *J Am Coll Cardiol*. 2024;83(24):2497-2604.