

## **MEDICARE FORM**

# **Erythropoiesis Stimulating Agents Injectable Medication Precertification Request**

Page 1 of 3

(All fields must be completed and legible for precertification review)

For Illinois MMP:

**FAX:** 1-855-320-8445 **PHONE:** 1-866-600-2139

For other lines of business:

Please use other form

Note: Procrit and Epogen are nonpreferred. The preferred products are Aranesp, Mircera and Retacrit.

Please indicate: Start of treatment: Start da  Continuation of therapy: Da		1 1			
				F	
Precertification Requested By:		Phone:		Fax:	
A. PATIENT INFORMATION  First Name:	Last Name:			DOB:	
Address:	Last ivallie.	City:		State:	ZIP:
Home Phone: Work Ph	iono:	Cell Phone:		Email:	ZIF.
				EIIIaii.	
Current Weight: lbs or kgs	Height: inches	orcms A	llergies:		
B. INSURANCE INFORMATION					
Aetna Member ID #:		Does patient have other coverage? Yes No			
Group #:Insured:	If yes, provide ID#	If yes, provide ID#: Carrier Name:			
C. PRESCRIBER INFORMATION	ilisuleu.				
First Name:	Last Name:		Check One:		O.
Address:	Last Name.	City:	Officer Office	State:	ZIP:
Phone: Fax:	St Lic #:	NPI #:	DEA #:	otate.	UPIN:
Office Contact Name:	Of LIG #.	INFI#.	Phone:		OF IIV.
D. DISPENSING PROVIDER/ADMINISTRATION	INFORMATION		Filone.		
Place of Administration:  Self-administered Physician's Office Home Outpatient Infusion Center Phone: Center Name: Home Infusion Center Phone: Agency Name: Administration code(s) (CPT): Address:		Dispensing Provider/Pharmacy:  Outpatient Dialysis Center Physician's Office Retail Pharmacy Specialty Pharmacy Mail Order Other:  Name: Address: Phone: Fax: TIN: PIN:			
E. PRODUCT INFORMATION  Request is for: Aranesp (darbepoetin alfa) Procrit (epoetin alfa)  Dose/Frequency:	Retacrit (epoetin alfa	a-epbx)	polyethylene HCPCS C		n beta)
(Failure to provide dose & freque					
F. DIAGNOSIS INFORMATION - Please indicate					
Primary ICD Code: Se  G. CLINICAL INFORMATION - Required clinical in the second					
For All Requests: (Clinical documentation required Yes No Will Aranesp (darbepoetin alfa), Procor Retacrit (epoetin alfa-epbx) be used Yes No Is the patient currently taking iron sured Hemoglobin (Hgb) result?  For Initial Requests:  Note: Procrit and Epogen are non-preferred. The preferred products may vary based on indication.  Yes No Has the patient had prior therapy wite Yes No Has the patient had a trial, intolerance Aranesp (darbepoetin alfa)  Please explain if there are any other medical reason(diagnosis? (select all that apply)	red for all requests) crit (epoetin alfa), Epogen (electromore) ed concomitantly? pplements? ng/dL Date of test // coreferred products are Ara the the requested product with the requested product to an income and income	epoetin alfa), Mircera (methen sepoetin alfa), Mircera (methen sepoetin alfa), Mircera and Retaction in the last 365 days?  If you have a sepoetin sepoetin beta is any of the following preferences.	rit.  all that apply)  ☐ Retacrit (epoerred products v	e glycol/epoetin petin alfa-epbx) when indicated fo	
— Manesh (damehoemi alia)	J Miliocia (methoxy polyeth)	yiono giyoor-opoetiii beta)	□ Notaont (ept	Sour ana-chox)	

Continued on next page



## **MEDICARE FORM**

# **Erythropoiesis Stimulating Agents Injectable Medication Precertification Request**

Page 2 of 3

(All fields must be completed and legible for precertification review)

For Illinois MMP:

**FAX:** 1-855-320-8445 **PHONE:** 1-866-600-2139

For other lines of business:

Please use other form

Note: Procrit and Epogen are nonpreferred. The preferred products are Aranesp, Mircera and Retacrit.

Patient First Name	Patient Last Name	Patient Phone	Patient DOB				
G. CLINICAL INFORMATION (Continued)	│ - Required clinical information must be €	l completed in its entirety for all p	recertification requests.				
G. CLINICAL INFORMATION (Continued) – Required clinical information must be completed in its entirety for all precertification requests.    Yes   No   Is this request for Epogen (epoetin alfa) or Procrit (epoetin alfa)?   Yes   No   Was treatment with Aranesp (darbepoetin alfa), Mircera (methoxy polyethylene glycol-epoetin beta), or Retacrit (epoetin alfa-epbx) ineffective?   Yes   No   Was treatment with Aranesp (darbepoetin alfa), Mircera (methoxy polyethylene glycol-epoetin beta), or Retacrit (epoetin alfa-epbx) not tolerated, or is contraindicated?   Please select:   not tolerated   contraindicated							
-	time on therapy:/	1 1					
Yes No Does the patient experience shortness of breath, weakness, fatigue, or lightheadedness from anemia?  Please indicate which of the following symptoms the patient experiences: shortness of breath weakness fatigue lightheadedness lightheadedness No Are any of the above symptoms affecting the patient's ability to perform activities of daily living?  Yes No Does the patient exhibit angina, syncope, or tachycardia from anemia?  Please indicate which of the following symptoms of anemia the patient exhibits: angina syncope tachycardia							
Which of the following laboratory test(s) has the Check all that apply and supply date and result	e patient had within the past 12 months?  ts: - Date of test / Please t / Please indicate the T) - Date of test / Ple	se indicate the result:ng/ml e result:ng/mL					
Anemia of Prematurity:  Please indicate the patient's birth weight							
Yes ☐ No Is the patient actively  Date of most recent of ☐ Yes ☐ No Is the intent of the tre	notherapy Induced Anemia (solid tumors eatment to decrease the need for transfusion receiving chemotherapy? Chemotherapy treatment//	ns in persons who will receive che					
Continuation of treatment:  ☐ Yes ☐ No Has there been a dec	crease in the need for transfusions in patien	nts who are receiving chemothera	pv?				
☐ Chronic Kidney Disease (CKD / ESRD) In  Yes ☐ No Is the patient currently Please indicate the particular properties of the partic	nduced Anemia:  y receiving dialysis?  atient's creatinine clearance:mL/min  atient's glomerular filtration:mL/min  l/A Based on the decline rate of Hgb level  this request be used to reduce the risk of al  tinuation request for a member currently on  at apply to the patient: acute myocardial	n Date of test // /1.73m² Date of test // s is there a likelihood of red blood lloimmunization and/or other RBC in dialysis? infarction (AMI) orthostatic hitton of greater than 6000ft	/ d cell transfusion? c transfusion-related risks?				
	Anemia: ng interferon or pegylated interferon plus rik ess than10 g/dL despite a reduction in the o						
☐ Human Immunodeficiency Virus (HIV) Dis  Endogenous EPO level:mIU/m  ☐ Yes ☐ No Is the patient current! ☐ Yes ☐ No Is the current zidovud	L Date of test ///	eek?					
☐ Yes ☐ No Does the bone marrow ☐ Yes ☐ No Has the patient requirements ☐ Yes ☐ No Has the patient requirements ☐ Yes ☐ No Have the transfusion ☐ Myelofibrosis-associated Anemia:	(EPO) levels are less than or equal to 500 _mIU/mL Date of test/ / whave less than 15% blasts? red a blood transfusion of 2 or fewer units or requirements been reduced by less than 50 graphs.	 of blood per month?					
Endogenous EPO level:mIU/m  Yes \[ \] No Is the member transfu	L Date of test / / usion dependent?						



## **MEDICARE FORM**

## **Erythropoiesis Stimulating Agents Injectable Medication Precertification Request**

Page 3 of 3

(All fields must be completed and legible for precertification review)

For Illinois MMP:

**FAX:** 1-855-320-8445 **PHONE:** 1-866-600-2139

For other lines of business:

Please use other form

Note: Procrit and Epogen are nonpreferred. The preferred products are Aranesp, Mircera and Retacrit.

Patient First Name	Patient Last Name	Patient Phone	Patient DOB			
G. CLINICAL INFORMATION (Continued)	<ul> <li>Required clinical information must be of</li> </ul>	completed in its <u>entirety</u> for all p	recertification requests.			
☐ Miscellaneous Induced Anemias:         Check all that apply and supply requested information:         ☐ The underlying chronic disease has been identified.       → Please identify the underlying chronic disease:         ☐ The patient cannot or will not receive whole blood or components as replacement for traumatic/surgical blood loss.         ☐ The patient is scheduled to undergo high-risk surgery.       → Is there an increased risk of or intolerance to blood transfusions?       ☐ Yes       ☐ No						
Date of surgery/ Type of surgery:						
Continuation of Treatment:						
Yes No Has the patient's hemoglobin (Hgb) risen by at least 1 g/dL while on erythropoietin stimulating treatment?  If no, please supply rationale for continuation of treatment request:  If yes, please indicate the pre-treatment hemoglobin level:  g/dL Date obtained:						
H. ACKNOWLEDGEMENT						
Request Completed By (Signature Require	red):		Date:/ /			
Any person who knowingly files a request for authorization of coverage of a medical procedure or service with the intent to injure, defraud or deceive any insurance company by providing materially false information or conceals material information for the purpose of misleading, commits a fraudulent insurance act, which is a crime and subjects such person to criminal and civil penalties.						

The plan may request additional information or clarification, if needed, to evaluate requests.